INVITATION TO BID (PLEASE USE THE ENCLOSED BID SHEETS)

NOTICE IS HEREBY GIVEN that the Board of County Commissioners of Custer County, Oklahoma will receive sealed bids either **by mail or ground delivery** up to 4:00 o'clock p.m. on Friday, the 9th day of June, 2023, or **in person** up to 9:00 o'clock a.m., the 12th day of June, 2023, in their office in the Courthouse in Arapaho, Oklahoma. Sealed bids shall be opened in a regular meeting of the Board of County Commissioners on the 12th day of June, 2023 at the hour of 9:15 o'clock a.m., in the office in the Courthouse in Arapaho, Oklahoma, for the furnishing of the following materials for Custer County Highway projects, for a period from JULY 1, 2023 up to and including DECEMBER 31, 2023.

MINIMUM SPECIFICATIONS FOR

BITUMINOUS MATERIALS; AGGREGATES FOR BITUMINOUS SURFACE COURSES AND BASE AND TRAFFIC BOUND SURFACE COURSES; SAND-ASPHALT BASE COURSE; BLENDED CRUSHED LIMESTONE AND SAND RECLAIMED CRUSHED ASPHALTIC CONCRETE; CORRUGATED METAL PIPE; POLY PIPE; CLASS "A", CLASS "AA" and CLASS "C" CONCRETE:

AND

VARIOUS HERBICIDES AND PESTICIDES, OR THEIR EQUIVALENTS

AND

Hauling Chips, Crusher Run, Crushed Granite, Surge, Limestone, Gyp Rock, and Rip Rap for Custer County Highway Projects.

THE BOARD OF COUNTY COMMISSIONERS is asking proposals for the furnishing of the above set out materials to be furnished at any time from JULY 1, 2023 up to and including DECEMBER 31, 2023 without any stated or estimated quantities being given and the Board of County Commissioners does not agree by the acceptance of these quotations to purchase at any time any given or stated amount but reserves the right to purchase in such amounts and at such times as it may deem necessary. The Contractor in making a proposal or quotation on any such item(s) will be expected to agree to furnish any material(s) upon which may bid under this plan, in such amounts and at such times and at the prices quoted in the proposal, that the County Commissioners may hereafter decide.

FORMS, PROPOSALS and specifications covering all material(s) and construction on which bids or proposals are asked, may be obtained in the Custer County Commissioner's Office, Room 104 in Arapaho, Oklahoma where approved copies of the same are on file, and can also be found on Custer County's website, http://www.custer.okcounties.org.

(Mailing)

Custer County Clerk's Office PO Box 300

Arapaho, OK 73620

(Physical)

Custer County Clerk's Office

675 West "B" Street Arapaho, OK 73620

PROPOSALS must be filed with Melissa Graham, Custer County Clerk before the hour stated above; after which they will be opened, read and considered. Bidders and other interested persons are invited to be present. The Board of County Commissioners reserves the right to reject any and all bids, to waive any and all irregularities and formalities, and award as the County's interest may seem to be best served.

/s/Melissa Graham, Custer County Clerk (SEAL)

INSTRUCTIONS FOR SUBMITTING BID PROPOSALS

- 1. This entire packet (Notice, Instructions, Minimum Specifications, Affidavit for Filing, Affidavit for Contracts and W-9) shall be known as the "Invitation to Bid" form. Fill out the "Invitation to Bid" form *completely*. See Checklist for Items Required for Bid Consideration.
- 2. Identify the outside of the sealed envelope as follows:

```
SEALED BID – SIX MONTH BIDS
CLOSING - (Bid Date) – June 12, 2023
BID - (Opening Time) – 9:15 a.m.
```

- 3. Place your company name and return address on the outside of the envelope.
- 4. File the bid proposal with the Custer County Clerk, either by mail or ground delivery up to 4:00 o'clock p.m. on Friday, the 9th day of June, 2023, or *in person up to 9:00 o'clock a.m.*, the 12th day of June, 2023, in their office in the Courthouse in Arapaho, Oklahoma. Sealed bids shall be opened in a regular meeting of the Board of County Commissioners on the 12th day of June, 2023 at the hour of 9:15 o'clock a.m., in the office in the Courthouse in Arapaho, Oklahoma, Room 104, at 675 West "B" Street, Arapaho, Oklahoma.
- 5. All forms must be filled out completely. Any incomplete forms could result in rejection if the Board of County Commissioners considers such action to be in the best interest of Custer County.
- 6. The address of the Custer County Clerk is as follows:

(MAILING) (PHYSICAL)
CUSTER COUNTY CLERK
P.O. BOX 300 C73620-0300 C75 WEST 'B' STREET
ARAPAHO, OK 73620-0300 ARAPAHO, OK 73620

- 7. All bid information shall be typewritten, or legibly written in ink. <u>All corrections</u> shall be initialed by the person signing the form(s).
- 8. On all bids requiring services or contract labor, proof of liability insurance shall be required. Read the bid specifications carefully.
- 9. FOR PROMPT PAYMENT OF ALL INVOICES, PLEASE NOTE:
 - * Payment for all expenses for Custer County is made twice a month. Approval of said claims is made on the second and fourth Monday of each month. For your claim to be considered for payment, the product(s) or service(s) must be delivered, and the appropriate paperwork on file with the County Clerk's office no later than five working days prior to the second and fourth Monday of the month.
 - * If the proper invoices and supporting documentation are not received by the cutoff date, payment will be rendered during the following month's business.
 - * Please contact Melissa Graham, Custer County Clerk, for a schedule for invoice submission in order to expedite payment processing.
- 10. If you have any questions regarding the bid specifications, or the bid deadlines, etc., please contact Melissa Graham, Custer County Clerk or Debbie Bright, Purchasing Agent at (580) 323-4420.

NOTE: ALL BID PROPOSALS WHICH DO NOT CONTAIN THE "INVITATION TO BID" AND THE SIGNED/NOTARIZED "AFFIDAVIT FOR FILING WITH COMPETITIVE BID", <u>WILL BE INVALID AND REJECTED</u>.

Please complete the following and return this page with your Bid.

CHECKLIST OF ITEMS REQUIRED FOR BID RETURN

1 AFFIDA	AVIT FOR FILING WITH COMPETITIVE BID
2 AFFIDA	AVIT FOR CONTRACTS AND PAYMENTS
3 W-9 FC	OR YOUR BUSINESS
4 YOUR	BID – PLEASE RETURN ONLY THE PAGES OF THE
INVITATION	TO BID WHICH INDICATE YOUR PROPOSAL.
THESE ITEM CONSIDEREI	S MUST BE INCLUDED FOR BID TO BE
PLEASE COMPI	LETE THE FOLLOWING:
VENDOR:	
SIGNATURE:	
TITLE:	
ADDRESS:	
CITY/STATE/ZIP	
PHONE	
FAX	<u></u>
FMAII	

CONCRETE FOR BRIDGES, CULVERTS, HEAD WALLS, RETAINING WALLS AND MISCELLANEOUS JOB POURS

(DELIVERED TO JOB SITE)

Concrete shall conform to Oklahoma State Highway Department Specifications Section 701, 2019 Edition

Class A/3000 PSI Concrete Per Cubic Yard	Class AA/4000 PSI Concrete Per Cubic Yard	Class C/2400 PSI Concrete Per Cubic Yard	Concrete with Fiber Per Cubic Yard
\$	\$	\$	\$
Controlled Low Strength Material (CLSM) Backfill Per Cubic Yard Delivered to Job Site		Concrete – 3000 PSI with #67 Stone, Air Entrainment & 20% Flash Per Cubic Yard Delivered to Job Site	
\$		\$	

(Specify additives and concrete Per Cubic Yard)

Materials/Delivery	Unit	Bid Price
Air Entrapment		
Calcium		
Fly Ash		
Ice		
Retarder		
Delivery Charge Per Mile		
Outside of City Limits in		
which Plant is located		

We agree to deliver said materials on date requested after receiving proper notice from t	the
County Commissioner.	

Signed by:		
Signed by.	 	

SPECIFICATIONS FOR RIP RAP STONE

Stone for rip rap shall be hard, sound and durable and shall have a minimum density of 140 pounds per cubic foot. The range of stone sizes for the various classes of rip rap shall be as follows:

Nominal Size or Thickness	Maximum Weight	Average Weight	*Minimum Weight
12"	150 lbs.	30-50 lbs.	20 lbs.
18"	305 lbs.	70-125 lbs.	30 lbs.
24"	750 lbs.	225-400 lbs.	40 lbs.
30"	1000 lbs.	350-600 lbs.	50 lbs.

^{*}Not more than 20% shall weigh less than these minimums.

SPECIFICATIONS FOR FILTER BLANKET MATERIAL

Material for filter blanket shall consist of sand, gravel or crushed stone blended or naturally combined to meet the gradation shown below. The mix shall be reasonably free from lumps or balls of clay, organic matter, objectionable coatings, or other foreign materials and shall be durable and sound. Not more than 20% of mix shall be flat or elongated particles [length greater than five (5) times the average thickness.]

Sieve Designation U.S. Standard Square Mesh	Percent Passing By Weight
4"	100%
2"	60 - 90%
1"	40 – 70%
3/8"	15 - 40%
No. 4	00 - 15%

Price bid for the various classes or nominal size of rip rap and filter blanket will be by the ton delivered to any location in Custer County

FILTER BLANKET	Price per ton
	\$

<u>Size</u>	Price per ton
12"	\$
18"	\$
24"	\$
30"	\$

<u>Size</u>	Price per ton
12"	\$
18"	\$
24"	\$
36"	\$
18" Select	\$

RIP RAP STONE - GYPSUM

<u>Size</u>	Price per ton
12"	\$
18"	\$
24"	\$
30"	\$

GYPSUM ROCKBid to be PRICE PER TON (for rock only) F.O.B. YOUR PLANT

3/4" Crusher Run	\$ _ per ton
1 1/2" Crusher Run	\$ _ per ton
2" Crusher Run	\$ _ per ton
2 1/2" Crusher Run	\$ _ per ton
3/8" Screenings	\$ _ per ton
3/4" Clean	\$ _ per ton
1 1/2" Clean	\$ _ per ton
2" Clean	\$ _ per ton
2" x 6" Surge	\$ _ per ton
4" x 12" Surge	\$ _ per ton
Dark Fines	\$ _ per ton
White Fines	\$ _ per ton

F.O.B. YOUR PLANT 3/8" Chips\$_____ 3" Surge......\$_____ 5/8" Chips\$_____ 4" Surge......\$_____ 1/2" Chips......\$_____ 3/8" Screenings......\$_____ 3/4" Crusher Run\$ #4 Screenings...... \$_____ 3/4" Cover......\$_____ 1 1/2" Crusher Run \$_____ 3" Crusher Run...... \$_____ 3/8" #2 Cover - Clean \$____ 1" #67 Cover......\$_____ 3/8" #2 Cover..... \$____ Estimated Need: 4000 Ton 5/8" #3 Cover...... \$____ 1 1/2" Granite Aggregate Base \$_____ **ROAD ROCK - CHIPS - LIMESTONE** Bid to be PRICE PER TON (for rock only) F.O.B. YOUR PLANT 3/8" Chips\$_____ 3/4" #1 Cover...... \$_____ 5/8" #3 Cover...... \$_____ 5/8" Chips...... \$_____ 3/4" Crusher Run \$_____ 5/8" #3C Cover \$_____ 3/8" Screenings \$_____ 1 1/2" Crusher Run \$_____ 3" Crusher Run \$_____ #4 Screenings...... \$_____ 3/8" #2 Cover \$____ 4" Surge......\$_____ Clean 3/8" #2 Cover ... \$_____ Estimated Need: 10,000 Ton **ROAD CONSTRUCTION MATERIALS** Asphalt Sand

ROAD ROCK - CHIPS - GRANITE
Bid to be PRICE PER TON (for rock only)

Silica-based Product, non-toxic

Soil Stabilizer

ASPHALT PATCHING MATERIAL

All material bid must meet, or exceed the minimum specifications listed below:

Patching mix must be designed for application in the temperature range of 20°F to 60°F.

Mixture shall have work ability and adhesion characteristics for use during cool to hot, or wet to dry climatic conditions.

Liquid asphalt component shall meet or exceed AASHTO T-182.

Aggregate gradation shall comply with the following limits, except in the case(s) where other studied and approved aggregates shall be required.

SIEVE	PERCENT PASSING
3/4"	100
1/2"	100
3/8"	100
No. 4	900-100
No. 10	28-40
No. 40	00-10
No. 80	00-06
No. 200	

Extraction shall meet or exceed ASTM D2172. Gradation shall meet or exceed AASHTO T-30.

Resistance to water damage shall meet or exceed AASHTO T-182 (modified=sample immersed at 140 for 24 hours).

Outdoor shelf life shall equal one year. (50T. Minimum @ 6' height).

Material must be guaranteed to perform adequately under normal circumstances in its intended use for a minimum of six (6) months. Guarantee shall be limited to the replacement of any defective material and will not cover any consequential damages resulting from the use of said product.

F.O.B.: Your plant to all Custer Co	ounty locations.	
ТОН	'MIX - COLD LAY	
Hot Mix – Cold Lay		per ton
Hot Mix - Type C	\$	per ton
Hot Mix – Type B	\$	per ton
Must be made available at time of	County Request.	

per ton

per ton

Rough Millings\$____

Ground Millings.....\$____

(Will pass through a 2 - inch screen)

(Will pass through a 1 - inch screen)

ASPHALT MATERIALS

Terms: F.O.B. any point in Custer County

All materials shall conform to Oklahoma State Highway Department Specifications Section 708.03, 2019 Edition

SPECIAL NOTICE OF TERMS AND CONDITIONS BELOW

Delivered prices are in full truck load quantities of 48000 lbs.

Unit of Issue	Description	Per Gallon / delivered	Per Gallon / picked up
Gal	AC-7.5	\$	\$
Gal	CRS-2S	\$	\$
Gal	CRS-2	\$	\$
Gal	SS-1	\$	\$
Gal	TR-Fog	\$	\$
Gal	CRS 2 Plus	\$	\$
Gal	CQS-1F	\$	\$
Gal	CSS-1	\$	\$
Gal	CSS-1H	\$	\$
Gal	CHFRS-2P	\$	\$
Gal	CMS-1PC	\$	\$
Gal	CMS-1PF	\$	\$
Gal	HFMS-2L	\$	\$
Gal	HFRS-2L	\$	\$
Gal	AEP	\$	\$
Ea	Pump Off Charge	\$	\$
Hour	Demurrage	\$	\$

TERMS AND CONDITIONS

- 1. Unit prices will be guaranteed correct by the bidder.
- 2. Firm prices will be F.O.B. destination.
- 3. Purchases by Custer County, Oklahoma are not subject to state or federal taxes.
- 4. County will receive a copy of weight ticket to verify net gallons of asphalt.
- 5. We request permission to take samples from each load to check for state specifications.
- 6. Other terms and conditions can be added at the discretion of the County Commissioners.

PIPE GAUGE PER OKLAHOMA DEPARTMENT OF HIGHWAY STANDARDS FOR PIPE **CULVERTS**

(Bidder must guarantee timely delivery of all products ordered by Custer County)

ROUND CORRUGATED STEEL PIPE

2-2/3 " x 1/2 " Corrugation

<u>Dia.</u>	<u>Gauge</u>	e Price per foot	Standard Dimple Bands	Double Width Dimple Bands
12"	14	\$	\$	\$
12"	16	\$	\$	\$
15"	14	\$	\$	\$
15"	16	\$	\$	\$
18"	14	\$	\$	\$
18"	16	\$	\$	\$
24"	14	\$	\$	\$
24"	16	\$	\$	\$
30"	14	\$	\$	\$
30"	16	\$	\$	\$
36"	14	\$	\$	\$
36"	16	\$	\$	\$
42"	14	\$	\$	\$
42"	16	\$	\$	\$

3"	X	1"	Corrugation

		<u>rrugation</u>		
<u>Dia.</u>	Gaug	e Price per foot	Standard Dimple Bands	Double Width Dimple Bands
48"	14	\$	\$	\$
48"	16	\$	\$	\$
54"	14	\$	\$	\$
54"	16	\$	\$	\$
60"	14	\$	\$	\$
60"	16	\$	\$	\$
66"	14	\$	\$	\$
66"	16	\$	\$	\$
72"	14	\$	\$	\$
72"	16	\$	\$	\$
78"	14	\$	\$	\$
78"	16	\$	\$	\$
84"	14	\$	\$	\$
90"	14	\$	\$	\$
96"	14	\$	\$	\$
102"	14	\$	\$	\$
108"	12	\$	\$	\$
114"	12	\$	\$	\$
120"	12	\$	\$	\$

CORRUGATED POLYPROPYLENE PIPE AASHTO M330 HIGHWAY SPECIFICATION DUAL WALL

<u>Diameter</u>	Length	Price/LF	COUPLERS Price/Each
12"		\$	\$
15"		\$	\$
18"		\$	\$
21"		\$	\$
24"		\$	\$
30"		\$	\$
36"		\$	\$
42"		\$	\$
48"		\$	\$
60"		\$	\$

Material Properties

Polypropylene compound for pipe and fitting production shall be impact modified copolymer meeting the material requirements of ASTM F2736, Section 4, ASTM F2881, Section 5 and AASHTO M330 for the respective diameters.

BID SPECIFICATIONS FOR VARIOUS HERBICIDES AND PESTICIDES, OR THEIR EQUIVALENTS

CONTRACT PERIOD: July 1, 2023 thru December 31, 2023

Quantities shown are approximate and are not to be construed as actual amount to be delivered. TO BE USED BY CUSTER COUNTY.

All herbicides must be registered with the State Department of Agriculture.

ТҮРЕ	UNIT	PRICE/ <u>per</u> gallon/pound
Roundup Pro Herbicide, or Equivalent. Active Ingredient: Isoproplyamine Salt of	2.5 Gal	\$
Glyphosate 41.0%.	30 Gal	\$
Inert Ingredient: 59.0% w/ 14.5% surfactant. 4 Pounds Active Ingredient Per Gallon.	Other	\$
An Agricultural Approved, Non-Ionic Surfactant. At Least 80.0% Active Ingredient.	1 Quart 1 Gallon Other	\$ \$ \$
2 4 d, with Amine, or Equivalent.	Per Gallon Other	\$ \$
Karmex DF, or Equivalent. Active Ingredient: Diuron [3 - (3,4-Dichlorophenyl)-1, 1-deimethylureal] 80.0%. Inert Ingredient: 20.0%. (Herbicide)	4 Pound 50 Pound Other	\$ \$ \$
Gopher Poison (Strychnine) Must be legal/labeled for Right-of-Way Machine Application	1 Pound 50 Pound Other	\$ \$ \$
Gopher Poison (Diphacinone) Must be legal/labeled for Right-of-Way Machine Application	1 Pound 50 Pound Other	\$ \$ \$
Garlon 4, Or Equivalent. Active Ingredients: Triclopyr (3, 5, 6-Trichloro-2- Pyridinyloxyacetic Acid) Butoxyethyl 61.6%. Acid Equivalent: Triclopyr – 44.3% - 4 Pound Per Gallon. Inert Ingredients: 38.4%. (Herbicide)	2.5 Gallon Other	\$ \$
Grazon, or Equivalent. Active Ingredients: Picloram: 4-amino-3,5,6- Trichloropicolinic acid, trisopropanolamine salt 10.2%; 2,4-dichlorophenoxyacetic acid, trisopropanolamine salt 39.6%; Inert Ingredients: 50.2%	2.5 Gallon Other	\$ \$
Tordon K, or Equivalent. Active Ingredient: 24.4% Picloram (Herbicide)	2.5 Gallon Other	\$ \$
MSMA 6 PLUS or Equivalent	1 Gallon	\$
Active Ingredient: Monosodium Acid Methanearsonate (Herbicide)	2.5 Gallon	\$
	Other	\$
Vista XRT, or Equivalent	1 Gallon	\$
Active Ingredients: Fluroxypyr-meptyl, Naphthalene; N-methylpyrrolidone (Herbicide)	2.5 Gallon	\$
	Other	\$

HAULING CHIPS, CRUSHER RUN, CRUSHED GRANITE SURGE, LIMESTONE, GYP ROCK – PER TON

DELIVERY POINTS & PIT LOCATIONS DESIGNATED BELOW

FOR PERIOD: JULY 1, 2023 – DECEMBER 31, 2023

HAULING WILL BE BY BELLY DUMP OR END DUMP AT COMMISSIONER REQUEST

DELIVERY	PIT LOCATIONS							
POINTS								
	COOPERTON		ROOSEVELT	SNYDER	BALLY	BOSE		SOUTHARD
	Screenings,		Screenings,	Screenings,	MOUNTAIN	JUNCTION		BUCHER
	Chips,		Chips,	Chips,	Screenings,	Gypsum		Gypsum
	Cr Run,		Crusher	Cr Run,	Chips,			
	Surge		Run, Surge	Surge	Cr Run,			
					Surge			
CLINTON								
WEATHERFORD								
DEER CREEK								
AREA								
THOMAS								
ARAPAHO								
CUSTER CITY								
BUTLER								
STAFFORD								
MOOREWOOD								
ALEDO								
ANTHON								
HAMMON								
HOURLY HAUL		(From any	stock pile – Dirl	or Gravel – In	Custer County, (Oklahoma for D	Districts 1, 2	
RATE		& 3)						

** RIP RAP – PER TON (SIZES: 12", 18", 24", 30") ** FILTER BLANKET – PER TON PLEASE INDICATE BID FOR <u>EACH</u> QUARRY

DELIVERY POINTS	HAULED FROM VARIOUS QUARRIES AND DELIVERED PER COMMISSIONER							
	INSTRUCTIONS – BID USING NOTED DELIVERY POINTS							
	COOPERTON	BALLY MOUNTAIN AT	BUTCHER JUNCTION	ROOSEVELT				
		CARNEGIE						
CLINTON								
WEATHERFORD								
DEER CREEK AREA								
THOMAS								
ARAPAHO								
CUSTER CITY								
BUTLER								
STAFFORD								
MOOREWOOD								
ALEDO								
ANTHON								
HAMMON								

ALEDO							l	
ANTHON								
HAMMON								
Bids for hauling m	iust be firm fo	r a period f	from JULY	1, 2023 thr	ough DECEMI	BER 31, 2023	i.	
SIGNED:			_					

All Freight Rates will be figured based upon the Fuel Price of $\frac{$3.823}{}$ as found on the U.S. Energy Information Administration website, Midwest area - $\frac{\text{www.eia.gov/petroleum/gasdiesel/}}{\text{gasdiesel/}}$, information released May 15, 2023 as the base rate.

Fuel surcharge will be computed as of the 1st Tuesday of each month. For every \$.10 per gallon rise, the rate will be increased by 2%.

61 Okla.St.Ann.§138.

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA)			
COUNTY OF) SS)			
on oath says, that (s)he is the ag	, gent authoriz	of lawful age, be ted by the bidder	ing first duly sworn to submit the attach	ı, ed bid.
Affiant further states that the bidders in restraint of freedom refrain from bidding; or with ar price in the prospective contract discussions between bidders an other thing of value for special	of competition of county of the county of th	on by agreement on ficial or employee er terms of said p y official concern	to bid at a fixed price as to quantity, quare rospective contracting exchange of mo	ce or to ality or ; or in any
	BIDI	DER:		
	Signa	ture		
Subscribed and sworn to before	ore me this	day of	, 20	
	Notar	y Public (Clerk or Ju	ndge)	
My Commission Expires:				
(SEAL)				
Note: Each competitive bi municipality must be acco				

Bids which are submitted without this Affidavit will be considered invalid and rejected.

AFFIDAVIT FOR CONTRACTS AND PAYMENTS

)

)
	S
	S
COUNTY OF)

STATE OF OKLAHOMA

THE UNDERSIGNED (ARCHITECT, CONTRACTOR, SUPPLIER OR ENGINEER), OF LAWFUL AGE, BEING FIRST DULY SWORN, ON OATH SAYS THAT THIS INVOICE OR CLAIM IS TRUE AND CORRECT. AFFIANT FURTHER STATES THAT THE (WORK, SERVICES OR MATERIALS) WILL BE (COMPLETED OR SUPPLIED) IN ACCORDANCE WITH THE PLANS, SPECIFICATIONS, ORDERS OR REQUESTS FURNISHED THE AFFIANT. AFFIANT FURTHER STATES THAT (S)HE HAS MADE NO PAYMENT DIRECTLY OR INDIRECTLY TO ANY ELECTED OFFICIAL, OFFICER OR EMPLOYEE OF THE STATE OF OKLAHOMA, ANY COUNTY OR LOCAL SUBDIVISION OF THE STATE, OF MONEY OR ANY OTHER THING OF VALUE TO OBTAIN PAYMENT OF THE INVOICE OR PROCURE THE CONTRACT OR PURCHASEORDER.

(CONTRACTOR, ARCHITECT, SUPPLIER, OR ENGINEER)	
Ву	
ATTESTED TO BEFORE ME THISDAY OF	, 20_

NOTE: 62 O.S. § 310.9 (B), authorizes counties executing a contract with any architect, contractor, supplier or engineer for construction work, services or materials which are needed on a continual basis from such architect, contractor, supplier or engineer under the terms of such contract, or executing more than one contract during the fiscal year with such architect, contractor, supplier or engineer, may require that the architect, contractor, supplier or engineer complete a signed affidavit as provided for in subsection A of this section which shall apply to all work, services or materials completed or supplied under the terms of the contract or contracts.

Form W-9 (Rev. October 2018) Department of the Treasury Internal Revenue Service

Request for Taxpayer Identification Number and Certification

► Go to www.irs.gov/FormW9 for instructions and the latest information.

Give Form to the requester. Do not send to the IRS.

	Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.			
	Business name/disregarded entity name, if different from above			
on page 3			4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):	
	☐ Individual/sole proprietor or ☐ C Corporation ☐ S Corporation ☐ Partnership single-member LLC	Trust/estate	Exempt payee code (if any)	
single-member LLC Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is not disregarded from the owner or U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner. Other (see instructions) ▶ 5 Address (number, street, and apt. or suite no.) See instructions. Requester's name		Exemption from FATCA reporting code (if any)		
Pecific	is disregarded from the owner should check the appropriate box for the tax classification of its own Other (see instructions) ▶	er.	(Applies to accounts maintained outside the U.S.)	
See S	5 Address (number, street, and apt. or suite no.) See instructions.	Requester's name a CUSTER COUN	nd address (optional)	
		PO BOX 300 ARAPAHO, OK	73620	
	7 List account number(s) here (optional)			
Par	Taxpayer Identification Number (TIN)			
Enter your first in the appropriate box. The first provided must materialle hame given on line it to avoid		urity number		
backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see <i>How to get a</i>				
TIN, la		or		
Note: If the account is in more than one name, see the instructions for line 1. Also see What Name a Number To Give the Requester for quidelines on whose number to enter.		and Employer	Employer identification number	
Numb	ror for the nequester for guidelines on whose number to enter.		-	
Par	t I Certification			

Under penalties of perjury, I certify that:

- 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
- 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- 3. I am a U.S. citizen or other U.S. person (defined below); and
- 4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

 Sign Here
 Signature of U.S. person ►
 Date ►

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (TIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

• Form 1099-INT (interest earned or paid)

- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, later.