

NOTICE TO BIDDER
(PLEASE USE THE ENCLOSED BID SHEETS)

NOTICE IS HEREBY GIVEN that the Board of County Commissioners of Custer County, Oklahoma will, on **June 18, 2012 until the hour of 10:00 o'clock a.m.** on said day, in their office in the Courthouse in Arapaho, Oklahoma, receive sealed proposals for the furnishing of the following materials for Custer County Highway projects, for a period from **July 1, 2012 up to and including December 31, 2012.**

BITUMINOUS MATERIALS: AGGREGATES FOR BITUMINOUS SURFACE COURSES AND BASE AND TRAFFIC BOUND SURFACE COURSES: SAND-ASPHALT BASE COURSE; BLENDED CRUSHED LIMESTONE AND SAND RECLAIMED CRUSHED ASPHALTIC CONCRETE; TREATED PILING; TREATED BRIDGE LUMBER; CORRUGATED METAL PIPE (ROUND & ARCHED); CLASS "A" AND CLASS "AA" CONCRETE; STEEL GRADER BLADES; USED STEEL; FUEL; USED STEEL PLATES:

AND FOR FURNISHING of the necessary labor, equipment and materials to construct and/or maintain;

BITUMINOUS SURFACE COURSES; CUTBACK ASPHALT; STABILIZED BASE COURSE; SLURRY SEAL; AND BRIDGES:

On Custer County Highway Projects.

THE BOARD OF COUNTY COMMISSIONERS is asking proposals for the furnishing of the above set out materials to be furnished at any time from **July 1, 2012 up to and including December 31, 2012** without any stated or estimated quantities being given and the Board of County Commissioners does not agree by the acceptance of these quotations to purchase at any time any given or stated amount, but reserves the right to purchase in such amounts and at such times as it may deem necessary. The Contractor in making a proposal or quotation on any such item(s) will be expected to agree to furnish any material(s) upon which may bid under this plan, in such amounts and at such times and at the prices quoted in the proposal, that the County Commissioners may hereafter decide.

FORMS, PROPOSALS and specifications covering all material(s) and construction on which bids or proposals are asked, may be obtained in the Custer County Commissioner's Office in Arapaho, Oklahoma, Room 104 where approved copies of the same are on file.

PROPOSALS must be filed with Karen Fry, Custer County Clerk before the hour stated above; after which they will be opened, read and considered. Bidders and other interested persons are invited to be present. The Board of County Commissioners reserves the right to reject any and all bids, to waive any and all irregularities and formalities, and award as the County's interest may seem to be best served.

/s/ Karen Fry, Custer County Clerk
(SEAL)

INSTRUCTIONS FOR SUBMITTING BID PROPOSALS

1. This entire packet (Notice, Instructions, Minimum Specifications and Affidavit) shall be known as the "Invitation to Bid" form. Fill out the "Invitation to Bid" form *completely*.
2. Identify the outside of the sealed envelope as follows:

SEALED BID
CLOSING (Bid Date)
BID (Opening Time)
3. Place your company name and return address on the outside of the envelope.
4. File the bid proposal with the Custer County Clerk, either by mail or in person, before **10:00 o'clock a.m. on June 18, 2012**. Bids received after this time will be rejected and unopened. All bids will be opened at **10:00 o'clock a.m., June 18, 2012** during the County Commissioner's meeting held in the Custer County Courthouse, Arapaho, Oklahoma, Room 104, at 675 West "B" Street, Arapaho, Oklahoma.
5. All forms must be filled out completely. Any incomplete forms could result in rejection if the Board of County Commissioners considers such action to be in the best interest of Custer County.
6. The address of the Custer County Clerk is as follows:

(MAILING)	(PHYSICAL)
CUSTER COUNTY CLERK	CUSTER COUNTY CLERK
P.O. BOX 300	675 WEST 'B' STREET
ARAPAHO, OK 73620-0300	ARAPAHO, OK 73620
7. All bid information shall be typewritten, or legibly written in ink. All corrections shall be initialed by the person signing the form(s).
8. On all bids requiring services or contract labor, proof of liability insurance may be required. Read the bid specifications carefully.
9. FOR PROMPT PAYMENT OF ALL INVOICES, PLEASE NOTE:
 - * Payment for maintenance & operational expenses for Custer County is made once a month. Approval of said claims is made on the second Monday of each month. For your claim to be considered for payment, the product(s) or service(s) must be delivered, and the appropriate paperwork on file with the County Clerk's office no later than five working days prior to the second Monday of the month.
 - * If the proper invoices and supporting documentation are not received by the monthly cut-off date, payment will be rendered during the following month's business.
 - * Please contact Karen Fry, Purchasing Agent, for a schedule for invoice submission in order to expedite payment processing.
10. If you have any questions regarding the bid specifications, or the bid deadlines, etc., please contact Karen Fry, Custer County Clerk at (580) 323-4420.

NOTE: ALL BID PROPOSALS WHICH DO NOT CONTAIN THE "INVITATION TO BID" AND THE SIGNED/NOTARIZED "AFFIDAVIT FOR FILING WITH COMPETITIVE BID", WILL BE INVALID AND REJECTED.

**CONCRETE FOR BRIDGES, CULVERTS, HEAD WALLS,
RETAINING WALLS AND MISCELLANEOUS JOB POURS**

(DELIVERED TO JOB SITE)

Concrete shall conform to Oklahoma State Highway Department Specifications
Section 508, 2009 Edition

Class A Concrete Per Cubic Yard	Class AA Concrete Per Cubic Yard	Class C Concrete Per Cubic Yard	Delivery Charge Per mile outside of City limits in which plant is located.
\$ _____	\$ _____	\$ _____	\$ _____

(Specify additives and concrete Per Cubic Yard)

Materials/Service	Unit	Bid Price
Air Entrapment		
Calcium		
Fly Ash		
Ice		
Retarder		
Other (Please List)		

We agree to deliver said materials on date requested after receiving proper notice from the County Commissioner.

Signed by: _____

2 2/3" x 1/2" Riveted Corrugated Steel Pipe Per Linear Foot

<u>Diameter</u>	<u>16 Gauge</u> .064	<u>14 Gauge</u> .079	<u>12 Gauge</u> .109
12"	\$ _____	\$ _____	\$ _____
18"	\$ _____	\$ _____	\$ _____
24"	\$ _____	\$ _____	\$ _____
30"	\$ _____	\$ _____	\$ _____
36"	\$ _____	\$ _____	\$ _____
48"	\$ _____	\$ _____	\$ _____
12" Pipe Ends	\$ _____	\$ _____	\$ _____
18" Pipe Ends	\$ _____	\$ _____	\$ _____
24" Pipe Ends	\$ _____	\$ _____	\$ _____
30" Pipe Ends	\$ _____	\$ _____	\$ _____
36" Pipe Ends	\$ _____	\$ _____	\$ _____
48" Pipe Ends	\$ _____	\$ _____	\$ _____

2 2/3" x 1/2" Riveted Corrugated Arched Pipe Span-Rise Per Linear Foot
(**Specify Lengths That Can Be Delivered**)

<u>Diameter</u>	<u>16 Gauge</u> .064	<u>14 Gauge</u> .079	<u>12 Gauge</u> .109
17"x12" 15"	\$ _____	\$ _____	\$ _____
21"x15" 18"	\$ _____	\$ _____	\$ _____
24"x18" 21"	\$ _____	\$ _____	\$ _____
28"x20" 24"	\$ _____	\$ _____	\$ _____
35"x24" 30"	\$ _____	\$ _____	\$ _____
42"x29" 36"	\$ _____	\$ _____	\$ _____
49"x33" 42"	\$ _____	\$ _____	\$ _____
57"x38" 48"	\$ _____	\$ _____	\$ _____
64"x43" 54"	\$ _____	\$ _____	\$ _____
71"x47" 60"	\$ _____	\$ _____	\$ _____
77"x52" 66"	\$ _____	\$ _____	\$ _____
83"x57" 72"	\$ _____	\$ _____	\$ _____
15" Pipe Ends	\$ _____	\$ _____	\$ _____
18" Pipe Ends	\$ _____	\$ _____	\$ _____
21" Pipe Ends	\$ _____	\$ _____	\$ _____
24" Pipe Ends	\$ _____	\$ _____	\$ _____
30" Pipe Ends	\$ _____	\$ _____	\$ _____
36" Pipe Ends	\$ _____	\$ _____	\$ _____
42" Pipe Ends	\$ _____	\$ _____	\$ _____
48" Pipe Ends	\$ _____	\$ _____	\$ _____
54" Pipe Ends	\$ _____	\$ _____	\$ _____
60" Pipe Ends	\$ _____	\$ _____	\$ _____
66" Pipe Ends	\$ _____	\$ _____	\$ _____
72" Pipe Ends	\$ _____	\$ _____	\$ _____

3" x 1" Riveted Corrugated Steel Pipe Per Linear Foot

<u>Diameter</u>	<u>16 Gauge</u> .064	<u>14 Gauge</u> .079	<u>12 Gauge</u> .109
60"	\$ _____	\$ _____	\$ _____
72"	\$ _____	\$ _____	\$ _____
84"	\$ _____	\$ _____	\$ _____
96"	\$ _____	\$ _____	\$ _____
60" Pipe Ends	\$ _____	\$ _____	\$ _____
72" Pipe Ends	\$ _____	\$ _____	\$ _____
84" Pipe Ends	\$ _____	\$ _____	\$ _____
96" Pipe Ends	\$ _____	\$ _____	\$ _____

3" x 1" Riveted Corrugated Arched Pipe Span-Rise Per Linear Foot
 (** Specify Lengths That Can Be Delivered**)

<u>Diameter</u>	<u>16 Gauge</u>	<u>14 Gauge</u>	<u>12 Gauge</u>
	.064	.079	.109
40" x 31" 36" ends	\$ _____	\$ _____	\$ _____
46" x 36" 42" ends	\$ _____	\$ _____	\$ _____
53" x 41" 48" ends	\$ _____	\$ _____	\$ _____
60" x 46" 54" ends	\$ _____	\$ _____	\$ _____
66" x 51" 60" ends	\$ _____	\$ _____	\$ _____
73" x 55" 66" ends	\$ _____	\$ _____	\$ _____
81" x 59" 72" ends	\$ _____	\$ _____	\$ _____
87" x 63" 78" ends	\$ _____	\$ _____	\$ _____
95" x 67" 84" ends	\$ _____	\$ _____	\$ _____
103" x 71" 90" ends	\$ _____	\$ _____	\$ _____
112" x 75" 96" ends	\$ _____	\$ _____	\$ _____
117" x 79" 102" ends	\$ _____	\$ _____	\$ _____

CONNECTING BANDS (BANDS TO BE COMPLETE WITH BANK BOLTS)

1 foot \$ _____ 2 feet \$ _____ Other \$ _____ (specify)

PIPE GAUGE PER OKLAHOMA DEPARTMENT OF HIGHWAY STANDARDS FOR PIPE CULVERTS

(Bidder must guarantee timely delivery of all products ordered by Custer County)

ROUND CORRUGATED STEEL PIPE

2-2/3" x 1/2" Corrugation

<u>Dia.</u>	<u>Gauge</u>	<u>Price per foot</u>
12"	16	\$ _____
15"	16	\$ _____
18"	16	\$ _____
24"	16	\$ _____
30"	16	\$ _____
36"	16	\$ _____
42"	16	\$ _____
48"	14	\$ _____
54"	14	\$ _____

3" x 1" Corrugation

<u>Dia.</u>	<u>Gauge</u>	<u>Price per foot</u>
60"	16	\$ _____
66"	16	\$ _____
72"	16	\$ _____
78"	16	\$ _____
84"	14	\$ _____
90"	14	\$ _____
96"	14	\$ _____
102"	14	\$ _____
108"	12	\$ _____
114"	12	\$ _____
120"	12	\$ _____

CORRUGATED STEEL PIPE ARCH

2-2/3" x 1/2" Corrugation

<u>Round Equiv.</u>	<u>Dia.</u>	<u>Gauge</u>	<u>Price per Foot</u>
15"	17"x 13"	16	\$ _____
18"	21"x 16"	16	\$ _____
21"	24"x 18"	16	\$ _____
24"	28"x 20"	16	\$ _____
30"	35"x 24"	16	\$ _____
36"	42"x 29"	14	\$ _____
42"	49"x 33"	14	\$ _____
48"	57"x 38"	12	\$ _____
54"	64"x 43"	12	\$ _____

CONTINUED ON NEXT PAGE

3" x 1" Corrugation

<u>Round Equiv.</u>	<u>Dia.</u>	<u>Gauge</u>	<u>Price per Foot</u>
36"	40"x 31"	14	\$ _____
42"	46"x 35"	14	\$ _____
48"	53"x 41"	14	\$ _____
54"	60"x 46"	14	\$ _____
60"	66"x 51"	14	\$ _____
66"	73"x 55"	14	\$ _____
72"	81"x 59"	14	\$ _____
78"	87"x 63"	14	\$ _____
84"	95"x 66"	12	\$ _____

STEEL PIPE FOR TIN HORNS

<u>Diameter</u>	<u>Min. Thickness</u>	<u>Price/Foot</u>	<u>Diameter</u>	<u>Min. Thickness</u>	<u>Price/Foot</u>
16"	1/4"	\$ _____	54"	7/16"	\$ _____
18"	1/4"	\$ _____	60"	7/16"	\$ _____
20"	1/4"	\$ _____	66"	7/16"	\$ _____
24"	1/4"	\$ _____	72"	7/16"	\$ _____
30"	3/8"	\$ _____	78"	7/16"	\$ _____
36"	3/8"	\$ _____	84"	7/16"	\$ _____
42"	3/8"	\$ _____	96"	1/2"	\$ _____
48"	3/8"	\$ _____	108"	1/2"	\$ _____
			120"	1/2"	\$ _____

HEAVY-DUTY CORRUGATED POLYETHYLENE PIPE

<u>Pipe Diameter</u>	<u>Min. Pipe Stiffness (Lbs/In/In)</u>	<u>Min. Weight Lbs/LF</u>	<u>Single Wall</u>	<u>Double Wall</u>	<u>Bands</u>	<u>Ends</u>
12"	45	2.5	\$ _____	\$ _____	\$ _____	\$ _____
15"	42	3.1	\$ _____	\$ _____	\$ _____	\$ _____
18"	40	6.6	\$ _____	\$ _____	\$ _____	\$ _____
24"	34	13.8	\$ _____	\$ _____	\$ _____	\$ _____
30"	28	15.5	\$ _____	\$ _____	\$ _____	\$ _____
36"	22	18.1	\$ _____	\$ _____	\$ _____	\$ _____

Guidelines: AASHTO M 294, Standard Specifications For Corrugated Polyethylene Pipe 12" to 36" Diameter.

ASTM 405, Standard Specifications For Corrugated Polyethylene Pipe and Fittings.

ASTM F 667, Standard Specifications For Larger Diameter Corrugated Pipe and Fittings.

AASHTO M 252, Standard Specification For Polyethylene Corrugated Drainage Pipe.

****PLEASE SPECIFY BAND LENGTHS****

**SPECIFICATIONS FOR 21.7 METRIC
GALVANIZED INTERLOCKING SHEETING AND BLACK INTERLOCKING SHEETING**

GAUGE	THICKNESS INCHES	WEIGHT PER SQ FT (BLACK)	WEIGHT PER SQ FT (GALV)	SECTION MODULUS (IN 3) PER SECTION	SECTION MODULUS (IN 3) PER FOOT
12	0.1046	5.6 #	5.8 #	3.18	1.76
10	0.1345	7.2 #	7.4 #	4.07	2.25
7	0.1793	9.7 #	9.9 #	5.39	2.99
8	0.1644	8.9 #	9.1 #	4.95	2.75

ASTM A 857 GRADE 30 FOR 7,8,10 AND 12 GAUGE STEEL. PRE-GALVANIZED STEEL IS AVAILABLE ONLY IN 8, 10 AND 12 GAUGE AND CONFORM TO ASTM A 929 GRADE A (YIELD IS 30 KSI) AND GALVANIZED PER ASTM A 525 WITH CLASS G 210 COATING

GALVANIZED INTERLOCKING SHEETING: (21.7")

GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.8#	\$ _____
10	7.4#	\$ _____
7	9.9#	\$ _____
8	9.1#	\$ _____

BLACK INTERLOCKING SHEETING: (21.7")

GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.6#	\$ _____
10	7.2#	\$ _____
7	9.7#	\$ _____
8	8.9#	\$ _____

GALVANIZED INTERLOCKING SHEETING: (18")

GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.69#	\$ _____
10	7.32#	\$ _____
7	9.75#	\$ _____
8	98.94#	\$ _____

BLACK INTERLOCKING SHEETING: (18")

GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.69#	\$ _____
10	7.32#	\$ _____
7	9.75#	\$ _____
8	8.94#	\$ _____

GALVANIZED BRIDGE PLANK 6x2 (LAYS 24")

GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	6.2#	\$ _____
10	8.0#	\$ _____
7	10.7#	\$ _____

BLACK BRIDGE PLANK 6x2 (LAYS 24")

GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	6.0#	\$ _____
10	7.14#	\$ _____
7	10.5#	\$ _____

STRUCTURAL STEEL (Per Pound)

New \$ _____ Used \$ _____

PIPE PILING (Per Foot)

7" – 30# per ft or heavier \$ _____
9 5/8" – .435 Wall or heavier \$ _____
9 5/8" -- .435 Wall or lighter \$ _____
7 5/8" 39# per ft or heavier \$ _____
7 5/8" 39# per ft or lighter \$ _____

STEEL GRATING (Per Square Foot)

3/8" x 2 1/2", 20' lengths \$ _____
1/4" x 4" x 24", 20' lengths \$ _____

H – BEAM PILING (PER FOOT)

10" – 42# per ft or heavier \$ _____
8" – 36# per ft or heavier \$ _____

STEEL PLATE – Bidder **MUST** furnish
specs of material bid

NEW - \$ _____ USED - \$ _____

STAY IN PLACE FORMING

Bidder **MUST** guarantee timely delivery for all products ordered by Custer County, OK.

<u>SIZE</u>	<u>GAUGE</u>	<u>PRICE PER PC.</u>	<u>PRICE PER RN. FT.</u>
36" x 26'	24	\$ _____	\$ _____
36" x 26'	26	\$ _____	\$ _____
32" x 26'	24	\$ _____	\$ _____
32" x 26'	26	\$ _____	\$ _____

REBAR (Per Foot)

1/2" \$ _____
5/8" \$ _____
3/4" \$ _____
7/8" \$ _____
1" \$ _____

CUT, BEND & BUNDLE SERVICE

1/2" \$ _____
5/8" \$ _____
3/4" \$ _____
7/8" \$ _____
1" \$ _____

BRIDGE NAILS (Per 100#)

40d, 50d, 60d \$ _____
70d, 80d, 100d \$ _____

NAILS (Per 100#)

Ringshank, 60d \$ _____
Ringshank, 70d \$ _____

BRIDGE CLIPS (each)

Small \$ _____ Large \$ _____

GUARD RAIL, (W-BEAM), 12 GAUGE, GALVANIZED – (Per Foot)

12 1/2' Lengths 25' Lengths
New \$ _____ New \$ _____
Used \$ _____ Used \$ _____

PRESSURE TREATED LUMBER

Bidder **MUST** furnish certificate from an **independent laboratory** as to treatment and grade (#2 or better). Certificate cannot be from your own laboratory. Specify CCA or Creosote treating (Bidder must guarantee delivery on a timely basis with all orders submitted by Custer County, Oklahoma.) Prices will be quoted per **1000 board feet.**

<u>West Rough</u>	<u>Length</u>	<u>Treated</u>	<u>Untreated</u>
3 x 4	8' to 16'	\$ _____	\$ _____
3 x 4	18' to 20'	\$ _____	\$ _____
3 x 4	22' to 26'	\$ _____	\$ _____
3 x 12	8' to 16'	\$ _____	\$ _____
3 x 12	18' to 20'	\$ _____	\$ _____
3 x 12	22' to 26'	\$ _____	\$ _____

GRADER BLADES (Per Foot)

Bidder **MUST** furnish specifications of materials on items bid. Please bid hardened blades only.

1/2" x 6"	\$ _____
1/2" x 8"	\$ _____
5/8" x 6"	\$ _____
5/8" x 8"	\$ _____
3/4" x 8"	\$ _____

ROAD CONSTRUCTION MATERIALS

Concrete Sand	\$ _____
Pea Gravel	\$ _____
Road Gravel (unscreened)	\$ _____
1/4" to 1/2"	\$ _____
1/2" to 3/4"	\$ _____
3/4" to 2"	\$ _____
2" plus	\$ _____
5/8" natural uncrushed chips	\$ _____
Silica-based Product, non-toxic	\$ _____

SAND BLASTING SAND \$ _____ (per sack)

SPECIFICATIONS FOR RIP RAP STONE

Stone for rip rap shall be hard, sound and durable and shall have a minimum density of 140 pounds per cubic foot. The range of stone sizes for the various classes of rip rap shall be as follows:

Nominal Size or Thickness	Maximum Weight	Average Weight	*Minimum Weight
12"	150 lbs.	30-50 lbs.	20 lbs.
18"	305 lbs.	70-125 lbs.	30 lbs.
24"	750 lbs.	225-400 lbs.	40 lbs.
30"	1000 lbs.	350-600 lbs.	50 lbs.

*Not more than 20% shall weigh less than these minimums.

SPECIFICATIONS FOR FILTER BLANKET MATERIAL

Material for filter blanket shall consist of sand, gravel or crushed stone blended or naturally combined to meet the gradation shown below. The mix shall be reasonably free from lumps or balls of clay, organic matter, objectionable coatings, or other foreign materials and shall be durable and sound. Not more than 20% of mix shall be flat or elongated particles [length greater than five (5) times the average thickness.]

Sieve Designation U.S. Standard Square Mesh	Percent Passing By Weight
4"	100%
2"	60 – 90%
1"	40 – 70%
3/8"	15 – 40%
No. 4	00 – 15%

Price bid for the various classes or nominal size of rip rap and filter blanket will be by the ton delivered to any location in Custer County

**FOLLOWING THIS PAGE IS YOUR BID SUBMISSION FORM FOR
RIP RAP AND FILTER BLANKET MATERIAL.**

Bids will be received for Rip Rap and Filter Blanket for any location within Custer County, Oklahoma.

RIP RAP STONE

<u>Size</u>	<u>Price per ton</u>
12"	\$ _____
18"	\$ _____
24"	\$ _____
30"	\$ _____

FILTER BLANKET

	<u>Price per ton</u>
.....	\$ _____

CRUSHED GRANITE ROCK

Bid to be PRICE PER TON (for rock only)
F.O.B. YOUR PLANT

Custer County Location\$ _____

GYPSUM ROCK

Bid to be PRICE PER TON (for rock only)
F.O.B. YOUR PLANT

1 1/2" Crusher Run.....	\$ _____	per ton
2 1/2" Crusher Run.....	\$ _____	per ton
1/4" AG Fines	\$ _____	per ton

CHIPS - F.O.B. (Per Ton)

3/8"	\$ _____	3" Crusher Run	\$ _____
5/8"	\$ _____	3/8" Screenings	\$ _____
3/4" Cover.....	\$ _____	#4 Screenings.....	\$ _____
1 1/2" Crusher Run	\$ _____	4" Surge.....	\$ _____
3/4" Crusher Run	\$ _____	Washed 3/8" #2 Cover	\$ _____

ASPHALT PATCHING MATERIAL

All material bid must meet, or exceed the minimum specifications listed below:

Patching mix must be designed for application in the temperature range of 20 ° F to 60 ° F.

Mixture shall have work ability and adhesion characteristics for use during cool to hot, or wet to dry climatic conditions.

Liquid asphalt component shall meet, or exceed AASHTO T-182.

Aggregate gradation shall comply with the following limits, except in the case(s) where other studied and approved aggregates shall be required.

<u>SIEVE</u>	<u>PERCENT PASSING</u>
3/4"	100
1/2"	100
3/8"	100
No. 4.....	900-100
No. 10.....	28-40
No. 40.....	00-10
No. 80.....	00-06
No. 200.....	00-3.5

Extraction shall meet, or exceed ASTM D2172. Gradation shall meet, or exceed AASHTO T-30.

Resistance to water damage shall meet, or exceed AASHTO T-182 (modified=sample immersed at 140 for 24 hours).

Outdoor shelf life shall equal one year. (50T. Minimum @ 6' height).

Material must be guaranteed to perform adequately under normal circumstances in its intended use for a minimum of six (6) months. Guarantee shall be limited to the replacement of any defective material and will not cover any consequential damages resulting from the use of said product.

PRICE PER BAG:\$ _____

PRICE PER TON:.....\$ _____

* F.O.B.: Your plant to all Custer County locations.

HOT MIX - COLD LAY

Hot Mix – Cold Lay.....\$ _____ per ton
 Hot Mix - Type C.....\$ _____ per ton

* Must be made available at time of County Request.

MILLINGS

Rough Millings\$ _____ per ton
 (Will pass through a 2 - inch screen)
 Ground Millings.....\$ _____ per ton
 (Will pass through a 1 - inch screen)

Partially Coated Aggregate.....\$ _____ per ton
 Asphalt Grinding..... \$ _____ per ton

CUT-BACK ASPHALT

Terms: F.O.B. any point in Custer County

All materials to meet Oklahoma Department of Transportation and Custer County Board of County Commissioner's specifications.

SPECIAL NOTICE OF TERMS AND CONDITIONS BELOW

Delivered prices are in full truck load quantities of 48000 lbs.

Unit of Issue	Description	Unit Price
Gal	MC-30	\$
Gal	MC-70	\$
Gal	MC-250	\$
Gal	MC-800	\$
Gal	MC-3000	\$
Gal	AC-7.5	\$
Gal	CRS-2S	\$
Gal	CRS-2	\$
Gal	SS-1	\$
Gal	CRS 2 Plus	\$
Gal	CQS-1F	\$
Gal	CSS-1	\$
Gal	CSS-1H	\$
Gal	AEP	\$

TERMS AND CONDITIONS

1. Sealed bids will be opened in the Commissioner's Conference Room, Custer County Courthouse, Arapaho, Oklahoma, at the time and date shown on the invitation to bid form.
2. Late bids will not be considered. Bids must be received in sealed envelopes (one per envelope) with bid and closing date written on the outside of the envelope.
3. Unit prices will be guaranteed correct by the bidder.
4. Firm prices will be F.O.B. destination.
5. Purchases by Custer County, Oklahoma are not subject to state or federal taxes.
6. This bid is submitted as a legal offer and any bid when accepted by Custer County constitutes a firm contract.
7. Oklahoma laws require each bidder submitting a bid to a county for goods or services to furnish a notarized sworn statement of non-collusion. This form is supplied below.
8. Bids will be firm until the dates referred to on the NOTICE TO BIDDER found at the beginning of these six-month bid requests.
9. To qualify for 5% in-state preference on asphalt you must give refinery or emulsion mill location where product is made or refined: _____, Oklahoma
10. County will receive a copy of weight ticket to verify net gallons of asphalt.
11. We request permission to take samples from each load to check for state specifications.
12. Other terms and conditions can be added at the discretion of the County Commissioners.

FUEL BIDS FOR CUSTER COUNTY, OKLAHOMA

(In Quantities as Needed Delivered to Various Locations)

AREA	GASOLINE UNLEADED	HANDLING & DELIVERY	#2 DIESEL WITH ADDITIVE	HANDLING & DELIVERY	#2 DIESEL WITHOUT ADDITIVE	HANDLING & DELIVERY
ARAPAHO & VICINITY						
CUSTER CITY & VICINITY						
BUTLER & VICINITY						
THOMAS & VICINITY						
WEATHERFORD & VICINITY						

(To Be Bid Per Gallon at Vendor's Cost, Plus Handling and Delivery.)

TRANSPORT LOADS ONLY – NO PUMPING CHARGE

All Diesel must be “low sulphur” diesel. Bidder **MUST** certify as to that fact.

*****PLEASE NOTE*****

Maximum Tank Sizes Are Listed Below: (Fuel orders/deliveries may be in lesser amounts, depending upon the need of that particular district.)

District #1: Gasoline – 3,000 gallon capacity Diesel – 9,000 gallon capacity

District #2: Gasoline – 2,000 gallon capacity Diesel – 8,000 gallon capacity

District #3: Gasoline – 3,000 gallon capacity Diesel – 9,000 gallon capacity

MINIMUM SPECIFICATIONS SHOULD INCLUDE:

DIESEL FUEL	ULSD
FLASH POINT, F.	150° OR HIGHER
POUR POINT, F.	0° OR LOWER
CLOUD POINT, F.	14° OR LOWER
VISCOSITY @ 40 C., CST	2.5 OR HIGHER
SULPHUR, % WT.	<0.0015 (15ppm) OR LOWER
CETANE NUMBER	47 OR HIGHER
WATER & SEDIMENT	NIL

RENTAL QUOTES

	<u>PER HOUR</u>	<u>PER DAY</u>	<u>PER WEEK</u>	<u>PER MONTH</u>
Grader – 140 HP or larger w/14' Blade	\$ _____	\$ _____	\$ _____	\$ _____
Scraper – 15 yard	\$ _____	\$ _____	\$ _____	\$ _____
Scraper – 23 yard	\$ _____	\$ _____	\$ _____	\$ _____
Dozer – 200 HP	\$ _____	\$ _____	\$ _____	\$ _____
Dozer – 145 HP	\$ _____	\$ _____	\$ _____	\$ _____
Water Truck – 2000 gallon	\$ _____	\$ _____	\$ _____	\$ _____
Water Truck – 4000 gallon	\$ _____	\$ _____	\$ _____	\$ _____
Compaction – 84” Smooth Drum Roller	\$ _____	\$ _____	\$ _____	\$ _____
Compaction – 84” Pad Foot Roller	\$ _____	\$ _____	\$ _____	\$ _____
Combination Compaction w/o cab & air – 84” roller	\$ _____	\$ _____	\$ _____	\$ _____
Combination Compaction with cab & air – 84” roller	\$ _____	\$ _____	\$ _____	\$ _____
Dump Truck – 16 yard	\$ _____	\$ _____	\$ _____	\$ _____
Asphalt Reclaimer – 360 HP or More	\$ _____	\$ _____	\$ _____	\$ _____
Asphalt Reclaimer – 482 HP or More	\$ _____	\$ _____	\$ _____	\$ _____
Asphalt Reclaimer – 540 HP or More	\$ _____	\$ _____	\$ _____	\$ _____
Trackhoe with Thumb - 110 HP	\$ _____	\$ _____	\$ _____	\$ _____
Trackhoe with Thumb - 150 HP	\$ _____	\$ _____	\$ _____	\$ _____
Trackhoe with Thumb - 177 HP	\$ _____	\$ _____	\$ _____	\$ _____
Trackhoe with Thumb - 188 HP	\$ _____	\$ _____	\$ _____	\$ _____
Trackhoe with Thumb - Longreach 140 HP or Greater	\$ _____	\$ _____	\$ _____	\$ _____
Trackhoe with Thumb - Longreach 140 HP or Less	\$ _____	\$ _____	\$ _____	\$ _____

****Please note: All above equipment to be bid with and without an operator.****

BRIDGE PROJECTS

Price Per Hour

30 Ton Crane w/Driver	\$ _____
Certified Welder	\$ _____
Trackhoe w/Operator	\$ _____
Option #2 – Full Service Crew	\$ _____

