INVITATION TO BID (PLEASE USE THE ENCLOSED BID SHEETS)

NOTICE IS HEREBY GIVEN that the Board of County Commissioners of Custer County, Oklahoma will, on December 19, 2016 until the hour of 9:30 o'clock a.m. on said day, in their office in the Courthouse in Arapaho, Oklahoma, receive sealed proposals for the furnishing of the following materials for Custer County Highway projects, for a period from January 1, 2017 up to and including June 30, 2017.

BITUMINOUS MATERIALS: AGGREGATES FOR BITUMINOUS
SURFACE COURSES AND BASE AND TRAFFIC BOUND SURFACE
COURSES: SAND-ASPHALT BASE COURSE; BLENDED CRUSHED
LIMESTONE AND SAND RECLAIMED CRUSHED ASPHALTIC
CONCRETE; CORRUGATED METAL PIPE (ROUND & ARCHED); POLY
PIPE; CLASS "A" AND CLASS "AA" CONCRETE; STEEL GRADER
BLADES; USED STEEL; FUEL; USED STEEL PLATES:

AND

Minimum Specifications For VARIOUS HERBICIDES AND PESTICIDES, OR THEIR EQUIVALENTS

AND

Hauling Chips, Crusher Run, Crushed Granite, 4" Surge, Limestone, Gyp Rock, Sandstone Dolomite and Rip Rap for Custer County Highway Projects.

THE BOARD OF COUNTY COMMISSIONERS is asking proposals for the furnishing of the above set out materials to be furnished at any time from January 1, 2017 up to and including June 30, 2017 without any stated or estimated quantities being given and the Board of County Commissioners does not agree by the acceptance of these quotations to purchase at any time any given or stated amount, but reserves the right to purchase in such amounts and at such times as it may deem necessary. The Contractor in making a proposal or quotation on any such item(s) will be expected to agree to furnish any material(s) upon which may bid under this plan, in such amounts and at such times and at the prices quoted in the proposal, that the County Commissioners may hereafter decide.

FORMS, PROPOSALS and specifications covering all material(s) and construction on which bids or proposals are asked, may be obtained in the Custer County Commissioner's Office, Room 104 in Arapaho, Oklahoma where approved copies of the same are on file, and can also be found on Custer County's website, http://www.custer.okcounties.org.

PROPOSALS must be filed with Karen Fry, Custer County Clerk before the hour stated above; after which they will be opened, read and considered. Bidders and other interested persons are invited to be present. The Board of County Commissioners reserves the right to reject any and all bids, to waive any and all irregularities and formalities, and award as the County's interest may seem to be best served.

/s/ Karen Fry, Custer County Clerk (SEAL)

INSTRUCTIONS FOR SUBMITTING BID PROPOSALS

- 1. This entire packet (Notice, Instructions, Minimum Specifications, Affidavit for Filing, Affidavit for Contracts and W-9) shall be known as the "Invitation to Bid" form. Fill out the "Invitation to Bid" form *completely*.
- 2. Identify the outside of the sealed envelope as follows:

SEALED BID CLOSING (Bid Date) BID (Opening Time)

- 3. Place your company name and return address on the outside of the envelope.
- 4. File the bid proposal with the Custer County Clerk, either by mail or in person, before 9:30 o'clock a.m. on December 19, 2016. Bids received after this time will be rejected and unopened. All bids will be opened at 9:30 o'clock a.m., December 19, 2016 during the County Commissioner's meeting held in the Custer County Courthouse, Arapaho, Oklahoma, Room 104, at 675 West "B" Street, Arapaho, Oklahoma.
- 5. All forms must be filled out completely. Any incomplete forms could result in rejection if the Board of County Commissioners considers such action to be in the best interest of Custer County. The entire bid packet must be returned.
- 6. The address of the Custer County Clerk is as follows:

(MAILING) (PHYSICAL)
CUSTER COUNTY CLERK
P.O. BOX 300 C73620-0300 C75 WEST 'B' STREET
ARAPAHO, OK 73620-0300 ARAPAHO, OK 73620

- 7. All bid information shall be typewritten, or legibly written in ink. All corrections shall be initialed by the person signing the form(s).
- 8. On all bids requiring services or contract labor, proof of liability insurance shall be required. Read the bid specifications carefully.
- 9. FOR PROMPT PAYMENT OF ALL INVOICES, PLEASE NOTE:
 - * Payment for maintenance & operational expenses for Custer County is made once a month. Approval of said claims is made on the second Monday of each month. For your claim to be considered for payment, the product(s) or service(s) must be delivered, and the appropriate paperwork on file with the County Clerk's office no later than five working days prior to the second Monday of the month.
 - * If the proper invoices and supporting documentation are not received by the monthly cut-off date, payment will be rendered during the following month's business.
 - * Please contact Karen Fry, Custer County Clerk, for a schedule for invoice submission in order to expedite payment processing.
- 10. If you have any questions regarding the bid specifications, or the bid deadlines, etc., please contact Karen Fry, Custer County Clerk or Debbie Bright, Purchasing Agent at (580) 323-4420.

NOTE: ALL BID PROPOSALS WHICH DO NOT CONTAIN THE "INVITATION TO BID" AND THE SIGNED/NOTARIZED "AFFIDAVIT FOR FILING WITH COMPETITIVE BID", <u>WILL BE INVALID AND REJECTED</u>.

CONCRETE FOR BRIDGES, CULVERTS, HEAD WALLS, RETAINING WALLS AND MISCELLANEOUS JOB POURS

(DELIVERED TO JOB SITE)

Concrete shall conform to Oklahoma State Highway Department Specifications Section 508, 2009 Edition

Class A Concrete Per Cubic Yard		s AA Concrete Cubic Yard	Class C Cond Per Cubic Y		Delivery Charge Per mile outside of City limits in which plant is located.
\$	\$		\$		\$
	(Spec	cify additives and	d concrete Per Cu	ubic Yaro	d)
Materials/Serv	ice	U 1	nit		Bid Price
Air Entrapment					
Calcium					
Fly Ash					
Ice					
Retarder					
Other (Please List)					
We agree to deliver said materials on date requested after receiving proper notice from the County Commissioner.					
Signed by:					

2 2/3" x 1/2" Riveted Corrugated Steel Pipe Per Linear Foot

<u>Diameter</u>	<u> 16 Gauge</u>	<u>14 Gauge</u>	<u> 12 Gauge</u>
	.064	.079	.109
12"	\$	\$	\$
18"	\$	\$	\$
24"	\$	\$	\$
30"	\$	\$	\$
36"	\$	\$	\$
48"	\$	\$	\$
12" Pipe Ends	\$	\$	\$
18" Pipe Ends	\$	\$	\$
24" Pipe Ends	\$	\$	\$
30" Pipe Ends	\$	\$	\$
36" Pipe Ends	\$	\$	\$
48" Pipe Ends	\$	\$	\$

3" x 1" Riveted Corrugated Steel Pipe Per Linear Foot

<u>Diameter</u>	<u> 16 Gauge</u>	14 Gauge	<u> 12 Gauge</u>
	.064	.079	.109
60"	\$	\$	\$
72"	\$	\$	\$
84"	\$	\$	\$
96"	\$	\$	\$
60" Pipe Ends	\$	\$	\$
72" Pipe Ends	\$	\$	\$
84" Pipe Ends	\$	\$	\$
96" Pipe Ends	\$	\$	\$

PIPE GAUGE PER OKLAHOMA DEPARTMENT OF HIGHWAY STANDARDS FOR PIPE CULVERTS

(Bidder must guarantee timely delivery of all products ordered by Custer County)

ROUND CORRUGATED STEEL PIPE

<u>2-2/3</u>	" x 1/2	2 " Corrugation	<u>3" x</u>	1" Co	orrugation
<u>Dia.</u>	Gaug	ge Price per foot	<u>Dia.</u>	Gau	ge Price per foot
12" 15" 18" 24" 30" 36" 42"	16 16 16 16 16 16	\$ \$ \$ \$ \$ \$	48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"	16 16 16 16 16 14 14 14 12 12	\$ \$ \$ \$ \$ \$ \$ \$ \$

STEEL PIPE FOR TIN HORNS

<u>Diameter</u>	Min. Thickness	Price/Foot	<u>Diameter</u>	Min. Thickness	Price/Foot
16"	1/4"	\$	54"	7/16"	\$
18"	1/4"	\$	60"	7/16"	\$
20"	1/4"	\$	66"	7/16"	\$
24"	1/4"	\$	72"	7/16"	\$
30"	3/8"	\$	78"	7/16"	\$
36"	3/8"	\$	84"	7/16"	\$
42"	3/8"	\$	96"	1/2"	\$
48"	3/8"	\$	108"	1/2"	\$
			120"	1/2"	\$

CORRUGATED POLYPROPYLENE PIPE AASHTO M330 HIGHWAY SPECIFICATION DUAL WALL

<u>Diameter</u>	Length	Price/LF	COUPLERS Price/Each
12"		\$	\$
15"		\$	\$
18"		\$	\$
21"		\$	\$
24"		\$	\$
30"		\$	\$
36"		\$	\$
42"		\$	\$
48"		\$	\$
60"		\$	\$

Material Properties

Polypropylene compound for pipe and fitting production shall be impact modified copolymer meeting the material requirements of ASTM F2736, Section 4, ASTM F2881, Section 5 and AASHTO M330 for the respective diameters.

SPECIFICATIONS FOR 21.7 METRIC GALVANIZED INTERLOCKING SHEETING AND BLACK INTERLOCKING SHEETING

GAUGE	THICKNESS INCHES	WEIGHT PER SQ FT (BLACK)	WEIGHT PER SQ FT (GALV)	SECTION MODULUS (IN 3) PER SECTION	SECTION MODULUS (IN 3) PER FOOT
12	0.1046	5.6 #	5.8 #	3.18	1.76
10	0.1345	7.2 #	7.4 #	4.07	2.25
7	0.1793	9.7 #	9.9 #	5.39	2.99
8	0.1644	8.9 #	9.1 #	4.95	2.75

ASTM A 857 GRADE 30 FOR 7,8,10 AND 12 GAUGE STEEL. PRE-GALVANIZED STEEL IS AVAILABLE ONLY IN 8, 10 AND 12 GAUGE AND CONFORM TO ASTM A 929 GRADE A (YIELD IS 30 KSI) AND GALVANIZED PER ASTM A 525 WITH CLASS G 210 COATING

GALVANIZE	D INTERLOCKIN	NG SHEETING:	<u>(21.7")</u>	BLACK INTERL	OCKING SHEET	ΓING: (21.7")
GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT		GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.8#	\$		12	5.6#	\$
10	7.4#	\$		10	7.2#	\$
7	9.9#	\$		7	9.7#	\$
8	9.1#	\$		8	8.9#	\$
GALVANIZE	D INTERLOCKIN	NG SHEETING:	<u>(18")</u>	BLACK INTE	RLOCKING SHI	EETING: (18")
GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT		GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.8#	\$		12	5.6#	\$
10	7.4#	\$		10	7.2#	\$
7	9.9#	\$		7	9.7#	\$
8	9.1#	\$		8	8.9#	\$
CTDUCTU	DAL CTEEL /	Day Daywal)				
New	<u>RAL STEEL (</u> \$	<u>Per Pouna)</u>	Used	\$		
	NG (Per Foot)	\$		STEEL PLATE – specifications of ma		urnish
•	5 Wall or heavie			NEW - \$	USED - \$	<u>. </u>
	5 Wall or lighter			·	- •	
	er ft or heavier	\$				

7 5/8" 39# per ft or lighter

\$____

H - BEAM PILING (PER FOOT)

10" – 42# per ft or heavier \$______ 8" – 36# per ft or heavier \$

REBAR - (Per Foot)

 1/2"
 \$______

 5/8"
 \$______

 3/4"
 \$______

 7/8"
 \$______

1"

GUARD RAIL, (W-BEAM), 12 GAUGE, GALVANIZED - (Per Foot)

 12 1/2' Lengths
 25' Lengths

 New
 \$_____

 Used
 \$_____

Used

 \$_____
 Used

GRADER BLADES (Price Per Foot)

Bidder <u>MUST</u> furnish specifications of materials on items bid. Please bid hardened blades only.

 6'
 7'
 8'

 1/2" x 8"
 \$_______
 \$_______

 5/8" x 6"
 \$_______
 \$_______

 5/8" x 8"
 \$_______
 \$_______

 3/4" x 8"
 \$________
 \$________

ROAD CONSTRUCTION MATERIALS

Asphalt Sand \$_____

Silica-based Product, non-toxic \$_____

Soil Stabilizer \$_____

STAY IN PLACE FORMING

Bidder MUST guarantee timely delivery for all products ordered by Custer County, OK.

SIZ	<u>:E</u>	<u>GAUGE</u>	PRICE PER PC.	PRICE PER RN. FT.
36"	x 26'	24	\$	\$
36"	x 26'	26	\$	\$
32"	x 26'	24	\$	\$
32"	x 26'	26	\$	\$

SPECIFICATIONS FOR RIP RAP STONE

Stone for rip rap shall be hard, sound and durable and shall have a minimum density of 140 pounds per cubic foot. The range of stone sizes for the various classes of rip rap shall be as follows:

Nominal Size or Thickness	Maximum Weight	Average Weight	*Minimum Weight
12"	150 lbs.	30-50 lbs.	20 lbs.
18"	305 lbs.	70-125 lbs.	30 lbs.
24"	750 lbs.	225-400 lbs.	40 lbs.
30"	1000 lbs.	350-600 lbs.	50 lbs.

^{*}Not more than 20% shall weigh less than these minimums.

SPECIFICATIONS FOR FILTER BLANKET MATERIAL

Material for filter blanket shall consist of sand, gravel or crushed stone blended or naturally combined to meet the gradation shown below. The mix shall be reasonably free from lumps or balls of clay, organic matter, objectionable coatings, or other foreign materials and shall be durable and sound. Not more than 20% of mix shall be flat or elongated particles [length greater than five (5) times the average thickness.]

Sieve Designation U.S. Standard Square Mesh	Percent Passing By Weight
4"	100%
2"	60 – 90%
1"	40 – 70%
3/8"	15 – 40%
No. 4	00 – 15%

Price bid for the various classes or nominal size of rip rap and filter blanket will be by the ton delivered to any location in Custer County

Bids will be received for Rip Rap and Filter Blanket for any location within Custer County, Oklahoma.

•		
FILTER BLANKET	Price per ton	
	\$	
	ΓΟΝΕ - GRANITE	
<u>Size</u>	Price per ton	
12"	\$	_
18"	\$	_
24"	\$	_
30"	\$	_
_	TONE - LIMESTONE	
<u>Size</u>	Price per ton	
12"	\$	_
18"	\$	<u> </u>
24"	\$	_
30"	\$	
GYPSUM ROCK		
Bid to be PRICE PER TO F.O.B. YOUR PLANT	N (for rock only)	
3/4" Crusher Run		per ton per ton
2" Crusher Run	• ————	per ton
2 1/2" Crusher Run		per ton
3/8" Screenings	•	per ton
3/4" Clean	\$	per ton
1 1/2" Clean		per ton
2" Clean	\$	per ton

CONTINUED ON NEXT PAGE

____ per ton

2"x6" Surge

White Fines	\$ per ton \$ per ton
ROAD ROCK - CHIPS - GR. Bid to be PRICE PER TON (for r	
F.O.B. YOUR PLANT	ock offiy)
3/8" \$	
5/8"\$	3/8" Screenings \$
3/4" Cover\$	#4 Screenings \$
1 1/2" Crusher Run \$	4" Surge \$
3/4" Crusher Run\$	Clean 3/8" #2 Cover \$
1 1/2" Granite Aggregate Base \$	
ROAD ROCK – CHIPS - LIN	MESTONE
Bid to be PRICE PER TON (for r	ock only)
•	
F.O.B. YOUR PLANT	
F.O.B. YOUR PLANT 3/8"\$	3" Crusher Run \$
F.O.B. YOUR PLANT 3/8"\$ 5/8"\$	3" Crusher Run \$ 3/8" Screenings \$
F.O.B. YOUR PLANT 3/8"\$ 5/8"\$ 3/4" #1Cover\$	3" Crusher Run \$3/8" Screenings \$#4 Screenings \$
F.O.B. YOUR PLANT 3/8" \$ 5/8" \$ 3/4" #1Cover \$ 1 1/2" Crusher Run \$	3" Crusher Run \$
F.O.B. YOUR PLANT 3/8"	3" Crusher Run \$
F.O.B. YOUR PLANT 3/8"	3" Crusher Run \$
F.O.B. YOUR PLANT 3/8"	3" Crusher Run \$
F.O.B. YOUR PLANT 3/8"	3" Crusher Run \$
F.O.B. YOUR PLANT 3/8"	
F.O.B. YOUR PLANT 3/8"	
F.O.B. YOUR PLANT 3/8"	3" Crusher Run\$ 3/8" Screenings\$ #4 Screenings\$ 4" Surge\$ Clean 3/8" #2 Cover \$ 3/8" #2 Cover\$ per ton per ton \$ per ton \$
F.O.B. YOUR PLANT 3/8"	3" Crusher Run\$ 3/8" Screenings\$ 4" Surge\$ Clean 3/8" #2 Cover \$ 3/8" #2 Cover\$ Pock only) \$ per ton pe

ASPHALT PATCHING MATERIAL

All material bid must meet, or exceed the minimum specifications listed below:

Patching mix must be designed for application in the temperature range of 20°F to 60°F.

Mixture shall have work ability and adhesion characteristics for use during cool to hot, or wet to dry climatic conditions.

Liquid asphalt component shall meet, or exceed AASHTO T-182.

Aggregate gradation shall comply with the following limits, except in the case(s) where other studied and approved aggregates shall be required.

SIEVE	PERCENT PASSING
3/4"	100
1/2"	100
3/8"	100
No. 4	900-100
No. 10	28-40
No. 40	00-10
No. 80	00-06
No. 200	

Extraction shall meet, or exceed ASTM D2172. Gradation shall meet, or exceed AASHTO T-30.

Resistance to water damage shall meet, or exceed AASHTO T-182 (modified=sample immersed at 140 for 24 hours).

Outdoor shelf life shall equal one year. (50T. Minimum @ 6' height).

Material must be guaranteed to perform adequately under normal circumstances in its intended use for a minimum of six (6) months. Guarantee shall be limited to the replacement of any defective material and will not cover any consequential damages resulting from the use of said product.

PRICE PER TON:\$\$	
* F.O.B.: Your plant to all Custer County locations.	
HOT MIX - COLD LAY	
Hot Mix – Cold Lay\$	per ton
Hot Mix - Type C\$	per ton
MILLINGS	
Rough Millings\$	per ton
Rough Millings\$\$	per ton
(Will pass through a 2 - inch screen)	
(Will pass through a 2 - inch screen) Ground Millings\$	per ton

CUT-BACK ASPHALT

Terms: F.O.B. any point in Custer County

All materials to meet Oklahoma Department of Transportation, or approved equal and Custer County Board of County Commissioner's specifications.

<u>SPECIAL NOTICE OF TERMS AND CONDITIONS BELOW</u> Delivered prices are in full truck load quantities of 48000 lbs.

Unit of Issue	Description	Unit Price
Gal	MC-30	\$
Gal	MC-70	\$
Gal	MC-250	\$
Gal	MC-800	\$
Gal	MC-3000	\$
Gal	AC-7.5	\$
Gal	CRS-2S	\$
Gal	CRS-2	\$
Gal	SS-1	\$
Gal	CRS 2 Plus	\$
Gal	CQS-1F	\$
Gal	CSS-1	\$
Gal	CSS-1H	\$
Gal	Cationic Water Based	\$
Gal	AEP	\$
Hour	Demurrage	\$

TERMS AND CONDITIONS

2.	Firm prices will be F.O.B. destination.
3.	Purchases by Custer County, Oklahoma are not subject to state or federal taxes.

County will receive a copy of weight ticket to verify net gallons of asphalt. 4.

Unit prices will be guaranteed correct by the bidder.

- We request permission to take samples from each load to check for state specifications. 5.
- 6. Other terms and conditions can be added at the discretion of the County Commissioners.

OTHER ASPHALT EMULSION	
PRODUCTS	\$ /GAL

FUEL BIDS FOR CUSTER COUNTY, OKLAHOMA

(In Quantities as Needed Delivered to Various Locations)

AREA	GASOLINE UNLEADED	HANDLING & DELIVERY	#2 DIESEL WITH ADDITIVE	HANDLING & DELIVERY	#2 DIESEL WITHOUT ADDITIVE	HANDLING & DELIVERY
ARAPAHO & VICINITY						
BUTLER & VICINITY						
WEATHERFORD & VICINITY						

(To Be Bid Per Gallon at Vendor's Cost, Plus Handling and Delivery.)

NO PUMPING CHARGE

All Diesel must be "ultra-low sulphur" diesel. Bidder MUST certify as to that fact.

PLEASE NOTE

<u>Maximum Tank Sizes Are Listed Below:</u> (Fuel orders/deliveries may be in lesser amounts, depending upon the need of that particular district.)

District #1: Gasoline – 3,000 gallon capacity Diesel – 9,000 gallon capacity

District #2: Gasoline – 2,000 gallon capacity Diesel – 8,000 gallon capacity

District #3: Gasoline – 3,000 gallon capacity Diesel – 9,000 gallon capacity

MINIMUM SPECIFICATIONS SHOULD INCLUDE:

DIESEL FUEL ULSD

FLASH POINT, F.	150° OR HIGHER
POUR POINT, F.	0° OR LOWER
CLOUD POINT, F.	14° OR LOWER
VISCOSITY @ 40 C., CST	2.5 OR HIGHER
SULPHUR, % WT.	<0.0015 (15ppm) OR LOWER
CETANE NUMBER	47 OR HIGHER
WATER & SEDIMENT	NIL
LUBRICANT ADDITIVE	MUST PROVIDE SPECIFICATIONS

GASOLINE: MINIMUM OF 87 OCTANE

RENTAL QUOTES: WITHOUT OPERATOR

	PER HOUR	PER DAY	PER WEEK	PER MONTH
Grader – 140 HP or larger w/14' Blade	\$	\$	\$	\$
Scraper – 15 yard	\$	\$	\$	\$
Scraper – 23 yard	\$	\$	\$	\$
Dozer – 200 HP	\$	\$	\$	\$
Dozer – 145 HP	\$	\$	\$	\$
Water Truck – 2000 gallon	\$	\$	\$	\$
Water Truck – 4000 gallon	\$	\$	\$	\$
Compaction – 84" Smooth Drum Roller	\$	\$	\$	\$
Compaction – 84" Pad Foot Roller	\$	\$	\$	\$
Combination Compaction w/o cab & air – 84" roller	\$	\$	\$	\$
Combination Compaction with cab & air – 84" roller	\$	\$	\$	\$
Dump Truck – 16 yard	\$	\$	\$	\$
Asphalt Reclaimer – 360 HP or More	\$	\$	\$	\$
Asphalt Reclaimer – 482 HP or More	\$	\$	\$	\$
Asphalt Reclaimer – 540 HP or More	\$	\$	\$	\$
Trackhoe with Thumb - 110 HP	\$	\$	\$	\$
Trackhoe with Thumb - 150 HP	\$	\$	\$	\$
Trackhoe with Thumb - 177 HP	\$	\$	\$	\$
Trackhoe with Thumb - 188 HP	\$	\$	\$	\$
Trackhoe with Thumb - Longreach 140 HP or Greater	\$	\$	\$	\$
Trackhoe with Thumb - Longreach 140 HP or Less	\$	\$	\$	\$

BID SPECIFICATIONS FOR VARIOUS HERBICIDES AND PESTICIDES, OR THEIR EQUIVALENTS

CONTRACT PERIOD: January 1, 2017 thru June 30, 2017

Quantities shown are approximate and are not to be construed as actual amount to be delivered.

All herbicides must be registered with the State Department of Agriculture.

TVDE	LINUT	DDICE
ТҮРЕ	UNIT	PRICE
Roundup Pro Herbicide, or equivalent. Active Ingredient: Isoproplyamine Salt of	2.5 Gal	\$
Glyphosate 41.0%. Inert Ingredient: 59.0% w/ 14.5% surfactant.	30 Gal	\$
4 Pounds Active Ingredient Per Gallon.	Other	\$
Oust Weed Killer, or Equivalent. Active Ingredient: Methyl 2-[(4,6-dimethyl-2	3 Pound	\$
pryimidinyl) amino] cabonyl] amino] sufonyl] benzoate 75%. Inert Ingredient: 25.0%.	Other	\$
AATREX- 4L, or Equivalent. Active Ingredient: Atrazine 2- Chloro - 4 -	Per Gallon	\$
(Ethylamino) - 6 - Isopropylamino - S - Triazine 40.8%. Related Compounds: 2.2%. Inert Ingredient: 57.0%. 4 Pounds Active Ingredient Per Gallon.	Other	\$
An Agricultural Approved, Non-Ionic	1 Quart	\$
Surfactant. At Least 80.0% Active Ingredient.	1 Gallon Other	\$ \$
2 4 d, with Amine, or Equivalent.	Per Gallon	\$
	Other	\$
Karmex DF, or Equivalent. Active Ingredient: Diuron [3 - (3,4-Dichlorophenyl)-1, 1-deimethylureal] 80.0%. Inert Ingredient: 20.0%. (Herbicide)	4 Pound 50 Pound Other	\$ \$ \$
Gopher Poison (Poison Grain).	1 Pound 50 Pound Other	\$ \$ \$
Banvel, Or Equivalent. Active Ingredients: Dimethylamine Salt of	2.5 Gallon 30 Gallon	\$ \$
Dicamba 3, 6-Dichloro-O-Amisic Acid 48.2%; Dimethylamine Salts of Related Acids 12.0%. Inert Ingredient: 39.8%. (Herbicide)	Other	\$
 Pathway, Or Equivalent.	2.5 Gallon	\$
Active Ingredients: Picloram: 4-Amino-3, 5, 6-Trichloropicolinic Acid, as the Trisopropanolamine Salt 5.4%; 2, 4 - Dichlorophenoxyacetic Acid, as the Trisopropanolamine Salt 20.9%. Inert Ingredients: 73.7%. Acid Equivalents: Picloram 3.0%. 2,4 - Dichlorophenoxyacetic Acid 11.2%.	Other	\$

T		
Garlon 4, Or Equivalent. Active Ingredients: Triclopyr (3, 5, 6-Trichloro-2- Pyridinyloxyacetic Acid) Butoxyethyl 61.6%. Acid Equivalent: Triclopyr – 44.3% - 4 Pound Per Gallon. Inert Ingredients: 38.4%. (Herbicide)	2.5 Gallon Other	\$ \$
Sahara (Water Dispersible Granules), Or Equivalent. Active Ingredients: Imazapyr 7.78%;	1 Pound 10 Pound	\$ \$
Diuron 62.2%. Inert Ingredients: 30.0%. (Herbicide)	Other	\$
Nobel, or Equivalent. 100% Methylated Oil.	2.5 Gallon	\$
	Other	\$
Grazon, or Equivalent. Active Ingredients: Picloram: 4-amino-3,5,6-	2.5 Gallon	\$
Trichloropicolinic acid, trisopropanolamine salt 10.2%;	Other	\$
2,4-dichlorophenoxyacetic acid, trisopropanolamine salt 39.6%; Inert Ingredients: 50.2%		
Baron, or Equivalent. Active Ingredient: Nonylphenol polyethylene	2.5 Gallon	\$
glycol ether, free fatty acids, dimethylpolysiloxane 93% Inert Ingredients: 7%	Other	\$
Spi Max, or Equivalent. Proprietary Colorant Blend – 100%.	2.5 Gallon	\$
	Other	\$
Outrider or Equivalent. Active Ingredient: 75% Sulfosulfuron	20 Ounce	\$
(Herbicide)	Other	\$
Tordon K Active Ingredient: 24.4% Picloram (Herbicide)	2.5 Gallon	\$
	Other	\$
MSMA 6 PLUS or Equivalent Active Ingredient: Monosodium Acid	1 Gallon	\$
Methanearsonate (Herbicide)	2.5 Gallon	\$
	Other	\$
Vista XRT or Equivalent Active Ingredients: Fluroxypyr-meptyl,	1 Gallon	\$
Naphthalene; N-methylpyrrolidone (Herbicide)	2.5 Gallon	\$
	Other	\$
METCEL or Equivalent.	16 Ounce	\$
	Other	\$

(THE ABOVE TO BE USED BY CUSTER COUNTY, OKLAHOMA.)

HAULING CHIPS, CRUSHER RUN, CRUSHED GRANITE 4" SURGE, LIMESTONE, GYP ROCK, SANDSTONE DOLOMITE – PER TON DELIVERY POINTS & PIT LOCATIONS DESIGNATED BELOW

FOR PERIOD: JANUARY 1, 2017 – JUNE 30, 2017

HAULING WILL BE BY BELLY DUMP OR END DUMP AT COMMISSIONER REQUEST

DELIVERY POINTS	PIT LOCATIONS							
	COOPERTON Screenings, Chips, Cr Run, 4" Surge	GRANITE Crushed Granite	HYDRO Sandstone Dolomite	SNYDER Screenings, Chips, Cr Run, 4" Surge	BALLY MOUNTAIN Screenings, Chips, Cr Run, 4" Surge	BOSE JUNCTION Gypsum	W'FORD Gypsum	SOUTHARD BUCHER Gypsum
CLINTON								
WEATHERFORD								
DEER CREEK AREA								
THOMAS								
ARAPAHO								
CUSTER CITY								
BUTLER								
STAFFORD								
MOOREWOOD								
ALEDO								
ANTHON								
HAMMON			-					
HOURLY HAUL RATE		(From any : 2 & 3)	stock pile – Di	rt or Gravel – Ir	n Custer County,	Oklahoma for	Districts 1,	

** RIP RAP – PER TON (SIZES: 12", 18", 24", 30") **
FILTER BLANKET – PER TON

HAULED FROM

DELIVERY POINTS	PIT LOCATIONS							
	COOPERTON	GRANITE	HYDRO	SNYDER	BALLY MOUNTAIN	BOSE JUNCTION	W'FORD	SOUTHARD BUCHER
CLINTON								
WEATHERFORD								
DEER CREEK AREA								
THOMAS								
ARAPAHO								
CUSTER CITY								
BUTLER								
STAFFORD								
MOOREWOOD								
ALEDO								
ANTHON								
HAMMON								

HAMMON							
Bids for hauling	must be firm fo	or a period	from JANU	JARY 1, 201	7 through JUN	NE 30, 2017.	,
SIGNED:			_				

All Freight Rates will be figured based upon the Fuel Price of \$2.387 as found on the U.S. Energy Information Administration website, Midwest area - www.eia.gov/petroleum/gasdiesel/, information released November 14, 2016 as the base rate.

Fuel surcharge will be computed as of the 1st Tuesday of each month. For every \$.10 per gallon rise, the rate will be increased by 2%.

STATE OF OKLAHOMA

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

)

COUNTY OF) SS)		
Affiant further s bidders in restraint refrain from biddin price in the prospec discussions betwee	s)he is the agent authorize states that the bidder has of freedom of competitions; or with any county off	not been a party to ar on by agreement to bi ficial or employee as er terms of said prosp official concerning	ny collusion among id at a fixed price or to to quantity, quality or pective contract; or in any exchange of money or
VENDOR:			
SIGNATURE:			
TITLE:			
ADDRESS:			
CITY/STATE/ZIP			
PHONE			
FAX			
EMAIL			
Subscribed a	nd sworn to before me this	;	, 20
	Notar	y Public (Clerk or Judo	ge)
My Commission Exp	oires:		
(SEAL)			

Note: Each competitive bid submitted to a county, school district or municipality must be accompanied with the above Affidavit as required by 61 Okla.St.Ann.§138.

Bids which are submitted without this Affidavit will be considered invalid and rejected.

AFFIDAVIT FOR CONTRACTS AND PAYMENTS

STATE OF OKLAHOMA)
) ss
COUNTY OF)

THE UNDERSIGNED (ARCHITECT, CONTRACTOR, SUPPLIER OR ENGINEER), OF LAWFUL AGE, BEING FIRST DULY SWORN, ON OATH SAYS THAT THIS INVOICE OR CLAIM IS TRUE AND CORRECT. AFFIANT FURTHER STATES THAT THE (WORK, SERVICES OR MATERIALS) AS SHOWN BY THIS INVOICE OR CLAIM HAVE BEEN (COMPLETED OR SUPPLIED) IN ACCORDANCE WITH THE PLANS, SPECIFICATIONS, ORDERS OR REQUESTS FURNISHED THE AFFIANT. AFFIANT FURTHER STATES THAT (S)HE HAS MADE NO PAYMENT DIRECTLY OR INDIRECTLY TO ANY ELECTED OFFICIAL, OFFICER OR EMPLOYEE OF THE STATE OF OKLAHOMA, ANY COUNTY OR LOCAL SUBDIVISION OF THE STATE, OF MONEY OR ANY OTHER THING OF VALUE TO OBTAIN PAYMENT OF THE INVOICE OR PROCURE THE CONTRACT OR PURCHASE ORDER PURSUANT TO WHICH AN INVOICE IS REQUIRED.

BUSINESS NAME	
Ву	
SUBSCRIBED AND SWORN TO BEFORE ME THISDAY OF	, 20
NOTARY PUBLIC (OR CLERK OR JUDGE)	

NOTE: 62 OKL.ST.ANN. § 310.9 (B), AUTHORIZES COUNTIES EXECUTING MORE THAN ONE CONTRACT, EXCEEDING \$ 25,000.00 DURING THE FISCAL YEAR, WITH AN ARCHITECT, CONTRACTOR, ENGINEER OR SUPPLIER OF CONSTRUCTION MATERIALS TO ACCEPT ONE AFFIDAVIT APPLYING TO ALL WORK, SERVICES OR MATERIALS COMPLETED OR SUPPLIED UNDER THE TERMS OF AWARDED CONTRACTS, OR WHICH ARE NEEDED ON A CONTINUAL BASIS; SUCH AFFIDAVIT TO BE IN LIEU OF ALL INDIVIDUAL AFFIDAVITS FOR EACH INVOICE SUBMITTED IN RELATION TO SUCH CONTRACT.

Form **W-9**

Request for Taxpayer

Give Form to the requester. Do not

	ment of the Tre Revenue Serv		identification Numb	er and Certifi	cati	on			S	end 1	to the	e IRS	6.
	1 Name (as	shown	on your income tax return). Name is required on this line; d	o not leave this line blank.					•				
e 2.	2 Business	2 Business name/disregarded entity name, if different from above											
Print or type Specific Instructions on page	3 Check appropriate box for federal tax classification; check only one of the following seven boxes: ☐ Individual/sole proprietor or ☐ C Corporation ☐ S Corporation ☐ Partnership ☐ Trust/est single-member LLC ☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=partnership) ► Note. For a single-member LLC that is disregarded, do not check LLC; check the appropriate box in the line above the tax classification of the single-member owner.							Exempt payee code (if any)					g
Fi		Under (see instructions) ► 5 Address (number, street, and apt. or suite no.) Requeste							ster's name and address (optional)				
eci								ia aaa	(Op	tional	,		
See S p	6 City, state	e, and Z	IP code		PO Both Arapa	ox 30	00	3620					
	7 List accou	unt num	ber(s) here (optional)										
Par		<u> </u>	er Identification Number (TIN)										
			propriate box. The TIN provided must match the nar individuals, this is generally your social security nur			Soc	cial sec	urity no	ımber	7 [—		$\overline{}$
			rietor, or disregarded entity, see the Part I instructio					_		_			
		employ	ver identification number (EIN). If you do not have a	number, see <i>How to g</i> e	t a			J		J			
	n page 3.		and the second s		4.6	or Employer identification number							
Note. If the account is in more than one name, see the instructions for line 1 and the chart on page 4 fo guidelines on whose number to enter.				4 for	Employer identification number								
ganas							-	-					
Par	II C	ertific	cation										
		f perju	y, I certify that:										
1. Th	e number sh	nown o	n this form is my correct taxpayer identification nun	nber (or I am waiting for	a num	ber to	be iss	ued to	me); a	and			
Se	rvice (IRS) th	nat I an	ackup withholding because: (a) I am exempt from ban subject to backup withholding as a result of a failubackup withholding; and										
3. I a	m a U.S. citi	zen or	other U.S. person (defined below); and										
4. The	FATCA cod	de(s) er	ntered on this form (if any) indicating that I am exem	pt from FATCA reportin	g is co	rrect.							
becau intere gener	ise you have st paid, acqi	e failed uisition nts othe	ns. You must cross out item 2 above if you have be to report all interest and dividends on your tax retu or abandonment of secured property, cancellation er than interest and dividends, you are not required	rn. For real estate transa of debt, contributions to	actions o an inc	, item dividu	n 2 doe ual retir	s not a ement	apply. I	For m	nortga nt (IR/	ge A), an	d
Sign Here	3	ture of erson ▶		Da	ıte ▶								
Ger	eral Ins	truc	tions	• Form 1098 (home mo	rtgage i	nteres	t), 1098	-E (stud	dent loa	n inter	rest), 1	098-T	
			e Internal Revenue Code unless otherwise noted.	(tuition)	المحاجات المح								
Future	developmen	ıts. Info	rmation about developments affecting Form W-9 (such we release it) is at www.irs.gov/fw9.	 Form 1099-C (cancele Form 1099-A (acquisi 	,		onment	of secu	red pro	perty)			
Pure	ose of Fo	orm		Use Form W-9 only if provide your correct TII		a U.S	S. perso	n (inclu	ding a r	esider	nt alien), to	
An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (TIN), adoption taxpayer identification number (ATIN), or employer			If you do not return F to backup withholding. By signing the filled-c	See Whout form	at is b ı, you:	ackúp v	vithholo	ding? or	n page	2.			

identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following:

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- to be issued),
- 2. Certify that you are not subject to backup withholding, or
- 3. Claim exemption from backup withholding if you are a U.S. exempt payee. If applicable, you are also certifying that as a U.S. person, your allocable share of any partnership income from a U.S. trade or business is not subject to the withholding tax on foreign partners' share of effectively connected income, and
- 4. Certify that FATCA code(s) entered on this form (if any) indicating that you are exempt from the FATCA reporting, is correct. See What is FATCA reporting? on page 2 for further information.