INVITATION TO BID (PLEASE USE THE ENCLOSED BID SHEETS)

NOTICE IS HEREBY GIVEN that the Board of County Commissioners of Custer County, Oklahoma will receive sealed bids either **by mail or ground delivery** up to 4:00 o'clock p.m. on Friday, the 7th day of December, 2018, or in person up to 9:00 o'clock a.m., the 10th day of December, 2018, in their office in the Courthouse in Arapaho, Oklahoma. Sealed bids shall be opened in a regular meeting of the Board of County Commissioners on the 10th day of December, 2018 at the hour of 9:00 o'clock a.m., in the office in the Courthouse in Arapaho, Oklahoma, for the furnishing of the following materials for Custer County Highway projects, for a period from JANUARY 1, 2019 up to and including JUNE 30, 2019.

BITUMINOUS MATERIALS: AGGREGATES FOR BITUMINOUS SURFACE COURSES AND BASE AND TRAFFIC BOUND SURFACE COURSES: SAND-ASPHALT BASE COURSE; BLENDED CRUSHED LIMESTONE AND SAND RECLAIMED CRUSHED ASPHALTIC CONCRETE; CORRUGATED METAL PIPE (ROUND & ARCHED); POLY PIPE; CLASS "A" AND CLASS "AA" CONCRETE; STEEL GRADER BLADES; USED STEEL; USED STEEL PLATES:

AND

Minimum Specifications For VARIOUS HERBICIDES AND PESTICIDES, OR THEIR EQUIVALENTS

AND

Hauling Chips, Crusher Run, Crushed Granite, 4" Surge, Limestone, Gyp Rock, Sandstone Dolomite and Rip Rap for Custer County Highway Projects.

THE BOARD OF COUNTY COMMISSIONERS is asking proposals for the furnishing of the above set out materials to be furnished at any time from January 1, 2019 up to and including June 30, 2019 without any stated or estimated quantities being given and the Board of County Commissioners does not agree by the acceptance of these quotations to purchase at any time any given or stated amount but reserves the right to purchase in such amounts and at such times as it may deem necessary. The Contractor in making a proposal or quotation on any such item(s) will be expected to agree to furnish any material(s) upon which may bid under this plan, in such amounts and at such times and at the prices quoted in the proposal, that the County Commissioners may hereafter decide.

FORMS, PROPOSALS and specifications covering all material(s) and construction on which bids or proposals are asked, may be obtained in the Custer County Commissioner's Office, Room 104 in Arapaho, Oklahoma where approved copies of the same are on file, and can also be found on Custer County's website, http://www.custer.okcounties.org.

PROPOSALS must be filed with Melissa Parker, Custer County Clerk before the hour stated above; after which they will be opened, read and considered. Bidders and other interested persons are invited to be present. The Board of County Commissioners reserves the right to reject any and all bids, to waive any and all irregularities and formalities, and award as the County's interest may seem to be best served.

/s/Melissa Parker, Custer County Clerk (SEAL)

INSTRUCTIONS FOR SUBMITTING BID PROPOSALS

- 1. This entire packet (Notice, Instructions, Minimum Specifications, Affidavit for Filing, Affidavit for Contracts and W-9) shall be known as the "Invitation to Bid" form. Fill out the "Invitation to Bid" form *completely*.
- 2. Identify the outside of the sealed envelope as follows:

SEALED BID CLOSING (Bid Date) BID (Opening Time)

- 3. Place your company name and return address on the outside of the envelope.
- 4. File the bid proposal with the Custer County Clerk, either **by mail or ground delivery** up to 4:00 o'clock p.m. on Friday, the 7th day of December, 2018, or in person up to 9:00 o'clock a.m., the 10th day of December, 2018, in their office in the Courthouse in Arapaho, Oklahoma. Sealed bids shall be opened in a regular meeting of the Board of County Commissioners on the 10th day of December, 2018 at the hour of 9:00 o'clock a.m., in the office in the Courthouse in Arapaho, Oklahoma, Room 104, at 675 West "B" Street, Arapaho, Oklahoma.
- 5. All forms must be filled out completely. Any incomplete forms could result in rejection if the Board of County Commissioners considers such action to be in the best interest of Custer County.
- 6. The address of the Custer County Clerk is as follows:

(MAILING) (PHYSICAL)
CUSTER COUNTY CLERK
P.O. BOX 300 C73620-0300 C75 WEST 'B' STREET
ARAPAHO, OK 73620-0300 ARAPAHO, OK 73620

- 7. All bid information shall be typewritten, or legibly written in ink. All corrections shall be initialed by the person signing the form(s).
- 8. On all bids requiring services or contract labor, proof of liability insurance shall be required. Read the bid specifications carefully.
- 9. FOR PROMPT PAYMENT OF ALL INVOICES, PLEASE NOTE:
 - * Payment for all expenses for Custer County is made twice a month. Approval of said claims is made on the second and fourth Monday of each month. For your claim to be considered for payment, the product(s) or service(s) must be delivered, and the appropriate paperwork on file with the County Clerk's office no later than five working days prior to the second and fourth Monday of the month.
 - * If the proper invoices and supporting documentation are not received by the monthly cut-off date, payment will be rendered during the following month's business.
 - * Please contact Melissa Parker, Custer County Clerk, for a schedule for invoice submission in order to expedite payment processing.
- 10. If you have any questions regarding the bid specifications, or the bid deadlines, etc., please contact Melissa Parker, Custer County Clerk or Lauren Ellis, Purchasing Agent at (580) 323-4420.

NOTE: ALL BID PROPOSALS WHICH DO NOT CONTAIN THE "INVITATION TO BID" AND THE SIGNED/NOTARIZED "AFFIDAVIT FOR FILING WITH COMPETITIVE BID", <u>WILL BE INVALID AND REJECTED</u>.

CONCRETE FOR BRIDGES, CULVERTS, HEAD WALLS, RETAINING WALLS AND MISCELLANEOUS JOB POURS

(DELIVERED TO JOB SITE)

Concrete shall conform to Oklahoma State Highway Department Specifications Section 508, 2009 Edition

Class A Concrete Per Cubic Yard		AA Concrete Cubic Yard	Class C Cond Per Cubic Y		Pen mile outside of City limits in which plant is located.
\$			\$		\$
	(Specify additives and concrete Per Cubic Yard)				
Materials/Serv	rice	Uı	nit		Bid Price
Air Entrapment					
Calcium					
Fly Ash					
Ice					

We agree to deliver said materials on date requested after receiving proper notice from the County Commissioner.
Signed by:

Retarder

Other (Please List)

2 2/3" x ½" Riveted Corrugated Steel Pipe Per Linear Foot

<u>Diameter</u>	<u> 16 Gauge</u>	<u>14 Gauge</u>	12 Gauge
	.064	.079	.109
12"	\$	\$	\$
18"	\$	\$	\$
24"	\$	\$	\$
30"	\$	\$	\$
36"	\$	\$	\$
48"	\$	\$	\$
12" Pipe Ends	\$	\$	\$
18" Pipe Ends	\$	\$	\$
24" Pipe Ends	\$	\$	\$
30" Pipe Ends	\$	\$	\$
36" Pipe Ends	\$	\$	\$
48" Pipe Ends	\$	\$	\$

3" x 1" Riveted Corrugated Steel Pipe Per Linear Foot

<u>Diameter</u>	16 Gauge	14 Gauge	12 Gauge
	.064	.079	.109
60"	\$	\$	\$
72"	\$	\$	\$
84"	\$	\$	\$
96"	\$	\$	\$
60" Pipe Ends	\$	\$	\$
72" Pipe Ends	\$	\$	\$
84" Pipe Ends	\$	\$	\$
96" Pipe Ends	\$	\$	\$

PIPE GAUGE PER OKLAHOMA DEPARTMENT OF HIGHWAY STANDARDS FOR PIPE CULVERTS

(Bidder must guarantee timely delivery of all products ordered by Custer County)

ROUND CORRUGATED STEEL PIPE

2-2/3 " x 1/2 " Corrugation			<u>3" x</u>	1" Co	orrugation
<u>Dia.</u>	Gaug	ge Price per foot	<u>Dia.</u>	Gau	ge Price per foot
12" 15" 18" 24" 30" 36" 42"	16 16 16 16 16 16	\$ \$ \$ \$ \$ \$	48" 54" 60" 66" 72" 78" 84" 90" 96" 102" 108" 114" 120"	16 16 16 16 16 14 14 14 12 12	\$ \$ \$ \$ \$ \$ \$ \$ \$

STEEL PIPE FOR TIN HORNS

<u>Diameter</u>	Min. Thickness	Price/Foot	<u>Diameter</u>	Min. Thickness	Price/Foot
16"	1/4"	\$	54"	7/16"	\$
18"	1/4"	\$	60"	7/16"	\$
20"	1/4"	\$	66"	7/16"	\$
24"	1/4"	\$	72"	7/16"	\$
30"	3/8"	\$	78"	7/16"	\$
36"	3/8"	\$	84"	7/16"	\$
42"	3/8"	\$	96"	1/2"	\$
48"	3/8"	\$	108"	1/2"	\$
			120"	1/2"	\$

CORRUGATED POLYPROPYLENE PIPE AASHTO M330 HIGHWAY SPECIFICATION DUAL WALL

<u>Diameter</u>	Length	Price/LF	COUPLERS Price/Each
12"		\$	\$
15"		\$	\$
18"		\$	\$
21"		\$	\$
24"		\$	\$
30" 36"		\$	\$
36"		\$	\$
42"		\$	\$
48"		\$	\$
60"		\$	\$

Material Properties

Polypropylene compound for pipe and fitting production shall be impact modified copolymer meeting the material requirements of ASTM F2736, Section 4, ASTM F2881, Section 5 and AASHTO M330 for the respective diameters.

SPECIFICATIONS FOR 21.7 METRIC GALVANIZED INTERLOCKING SHEETING AND BLACK INTERLOCKING SHEETING

GAUGE	THICKNESS INCHES	WEIGHT PER SQ FT (BLACK)	WEIGHT PER SQ FT (GALV)	SECTION MODULUS (IN 3) PER SECTION	SECTION MODULUS (IN 3) PER FOOT
12	0.1046	5.6 #	5.8 #	3.18	1.76
10	0.1345	7.2 #	7.4 #	4.07	2.25
7	0.1793	9.7 #	9.9 #	5.39	2.99
8	0.1644	8.9 #	9.1 #	4.95	2.75

ASTM A 857 GRADE 30 FOR 7,8,10 AND 12 GAUGE STEEL. PRE-GALVANIZED STEEL IS AVAILABLE ONLY IN 8, 10 AND 12 GAUGE AND CONFORM TO ASTM A 929 GRADE A (YIELD IS 30 KSI) AND GALVANIZED PER ASTM A 525 WITH CLASS G 210 COATING

<u>GALVANIZI</u>	ED INTERLOCKIN	IG SHEETING: (21.7")	BLACK INTER	LOCKING SHEET	ΓING: (21.7")
GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT	GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.8#	\$	12	5.6#	\$
10	7.4#	\$	10	7.2#	\$
7	9.9#	\$	7	9.7#	\$
8	9.1#	\$	8	8.9#	\$
<u>GALVANIZI</u>	ED INTERLOCKIN	IG SHEETING: (18")	BLACK INT	ERLOCKING SHI	EETING: (18")
GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT	GAUGE	WEIGHT PER SQ FT	PRICE PER SQ FT
12	5.8#	\$	12	5.6#	\$
10	7.4#	\$	10	7.2#	\$
7	9.9#	\$	7	9.7#	\$
8	9.1#	\$	8	8.9#	\$
STRUCTU	JRAL STEEL (I	Per Pound)			
New	\$	Used	\$		
	NG (Per Foot)	Φ.	STEEL PLATE - specifications of m		urnish
9 5/8"43 9 5/8"43	er ft or heavier 35 Wall or heavie 35 Wall or lighter per ft or heavier		NEW - \$	_ USED - \$	<u> </u>

7 5/8" 39# per ft or lighter

\$____

H - BEAM PILING (PER FOOT)

10" – 42# per ft or heavier \$______ 8" – 36# per ft or heavier \$_____

REBAR - (Per Foot)

 1/2"
 \$______

 5/8"
 \$______

 3/4"
 \$______

 7/8"
 \$______

1"

GUARD RAIL, (W-BEAM), 12 GAUGE, GALVANIZED - (Per Foot)

 12 1/2' Lengths
 25' Lengths

 New
 \$_____

 New
 \$_____

Used \$_____ Used \$_____

GRADER BLADES (Please Bid price per foot not per piece)

Bidder <u>MUST</u> furnish specifications of materials on items bid. Please bid hardened blades only.

 6'
 7'
 8'

 1/2" x 6"
 \$_______
 \$_______

 1/2" x 8"
 \$_______
 \$_______

 5/8" x 6"
 \$_______
 \$_______

 5/8" x 8"
 \$________
 \$________

 3/4" x 8"
 \$________
 \$________

ROAD CONSTRUCTION MATERIALS

Asphalt Sand \$_____Silica-based Product, non-toxic \$_____Soil Stabilizer \$_____

STAY IN PLACE FORMING

Bidder MUST guarantee timely delivery for all products ordered by Custer County, OK.

<u>SIZE</u>	<u>GAUGE</u>	PRICE PER PC.	PRICE PER RN. FT.
36" x 26'	24	\$	\$
36" x 26'	26	\$	\$
32" x 26'	24	\$	\$
32" x 26'	26	\$	\$

SPECIFICATIONS FOR RIP RAP STONE

Stone for rip rap shall be hard, sound and durable and shall have a minimum density of 140 pounds per cubic foot. The range of stone sizes for the various classes of rip rap shall be as follows:

Nominal Size or Thickness	Maximum Weight	Average Weight	*Minimum Weight
12"	150 lbs.	30-50 lbs.	20 lbs.
18"	305 lbs.	70-125 lbs.	30 lbs.
24"	750 lbs.	225-400 lbs.	40 lbs.
30"	1000 lbs.	350-600 lbs.	50 lbs.

^{*}Not more than 20% shall weigh less than these minimums.

SPECIFICATIONS FOR FILTER BLANKET MATERIAL

Material for filter blanket shall consist of sand, gravel or crushed stone blended or naturally combined to meet the gradation shown below. The mix shall be reasonably free from lumps or balls of clay, organic matter, objectionable coatings, or other foreign materials and shall be durable and sound. Not more than 20% of mix shall be flat or elongated particles [length greater than five (5) times the average thickness.]

Sieve Designation U.S. Standard Square Mesh	Percent Passing By Weight
4"	100%
2"	60 – 90%
1"	40 – 70%
3/8"	15 – 40%
No. 4	00 – 15%

Price bid for the various classes or nominal size of rip rap and filter blanket will be by the ton delivered to any location in Custer County

Bids will be received for Rip Rap and Filter Blanket for any location within Custer County, Oklahoma.

FILTER BLANKET	Price per ton
	\$
	ONE - GRANITE
<u>Size</u>	Price per ton
12"	\$
18"	\$
24"	\$
30"	\$
RIP RAP ST	ONE - LIMESTONE
<u>Size</u>	Price per ton
12"	\$
	\$
	\$
	\$
	
	ONE - GYPSUM
<u>Size</u>	Price per ton
12"	\$
18"	\$
24"	\$
30"	\$

GYPSUM ROCK		
Bid to be PRICE PER TON (for roc	k only)	
F.O.B. YOUR PLANT		
3/4" Crusher Run	¢	ner ton
1 1/2" Crusher Run	•	4
2" Crusher Run	• ——————	
2 1/2" Crusher Run		
3/8" Screenings		per ton
3/4" Clean	•	per ton
1 1/2" Clean		per ton
2" Clean	<u> </u>	per ton
2"x6" Surge	T	per ton per ton
White Fines		per ton
	Ψ	po. to
ROAD ROCK - CHIPS - GRAN Bid to be PRICE PER TON (for roc F.O.B. YOUR PLANT		
3/8"\$	3" Crusher Run	\$
5/8"\$	_ 3/8" Screenings	\$
3/4" Cover\$	#4 Screenings	\$
1 1/2" Crusher Run \$	4" Surge	\$
3/4" Crusher Run \$	Clean 3/8" #2 Cover	\$
1 1/2" Granite Aggregate Base \$	-	
ROAD ROCK - CHIPS - LIME Bid to be PRICE PER TON (for roc		
F.O.B. YOUR PLANT	,,	
3/8"\$	3" Crusher Run	\$
5/8"\$		
3/4" #1Cover\$		\$
1 1/2" Crusher Run \$	_ 4" Surge	\$
3/4" Crusher Run \$	Clean 3/8" #2 Cover	\$
5/8" #3C Cover \$	_ 3/8" #2 Cover	\$
SANDSTONE/DOLOMITE RO	CK	
Bid to be PRICE PER TON (for roc		
F.O.B. YOUR PLANT		
2/4" Cmuch on Divis	Φ	
3/4" Crusher Run	_	
	JED ON NEXT PAGE	per ton

2 1/2" Crusher Run	\$ per ton
3/4" Clean	\$ per ton
1 1/2" Clean	\$ per ton
3/8" Screening	\$ per ton
2"x6" Surge	\$ per ton
_	•

ASPHALT PATCHING MATERIAL

All material bid must meet, or exceed the minimum specifications listed below:

Patching mix must be designed for application in the temperature range of 20°F to 60°F.

Mixture shall have work ability and adhesion characteristics for use during cool to hot, or wet to dry climatic conditions.

Liquid asphalt component shall meet or exceed AASHTO T-182.

Aggregate gradation shall comply with the following limits, except in the case(s) where other studied and approved aggregates shall be required.

SIEVE	PERCENT PASSING
3/4"	100
1/2"	100
3/8"	100
No. 4	900-100
No. 10	28-40
No. 40	00-10
No. 80	
No. 200	

Extraction shall meet or exceed ASTM D2172. Gradation shall meet or exceed AASHTO T-30.

Resistance to water damage shall meet or exceed AASHTO T-182 (modified=sample immersed at 140 for 24 hours).

Outdoor shelf life shall equal one year. (50T. Minimum @ 6' height).

Material must be guaranteed to perform adequately under normal circumstances in its intended use for a minimum of six (6) months. Guarantee shall be limited to the replacement of any defective material and will not cover any consequential damages resulting from the use of said product.

PRICE PER BAG:	\$
PRICE PER TON:	\$
O.B.: Your plant to all Custer Co	ounty locations.

HOT MIX - COLD LAY

Hot Mix – Cold Lay\$	per ton
Hot Mix - Type C\$	per ton
Hot Mix – Type B\$	per ton

^{*} Must be made available at time of County Request.

MILLING	<u>GS</u>	
Rough Millings (Will pass through a 2 - inch screen)	\$ per ton	
Ground Millings(Will pass through a 1 - inch screen)	\$ per ton	
Partially Coated Aggregate\$ Asphalt Grinding\$		

Terms: CUT-BACK ASPHALT
F.O.B. any point in Custer County

All materials to meet Oklahoma Department of Transportation, or approved equal and Custer County Board of County Commissioner's specifications.

SPECIAL NOTICE OF TERMS AND CONDITIONS BELOW Delivered prices are in full truck load quantities of 48000 lbs.

Unit of Issue	Description	Unit Price
Gal	MC-30	\$
Gal	MC-70	\$
Gal	MC-250	\$
Gal	MC-800	\$
Gal	MC-3000	\$
Gal	AC-7.5	\$
Gal	CRS-2S	\$
Gal	CRS-2	\$
Gal	SS-1	\$
Gal	CRS 2 Plus	\$
Gal	CQS-1F	\$
Gal	CSS-1	\$
Gal	CSS-1H	\$
Gal	CHFRS-2P	\$
Gal	CMS-1PC	\$
Gal	AEP	\$
Ea	Pump Off Charge	\$
Hour	Demurrage	\$

TERMS AND CONDITIONS

1	. Unit price	es will be guara	inteed correct by	the bidder.

- 2. Firm prices will be F.O.B. destination.
- 3. Purchases by Custer County, Oklahoma are not subject to state or federal taxes.
- County will receive a copy of weight ticket to verify net gallons of asphalt. 4.
- 5. We request permission to take samples from each load to check for state specifications.
- 6. Other terms and conditions can be added at the discretion of the County Commissioners.

OTHER ASPHALT EMULSION	
PRODUCTS\$	/GAL

RENTAL QUOTES: WITHOUT OPERATOR

	PER HOUR	PER DAY	PER WEEK	PER MONTH
Grader – 140 HP or larger w/14' Blade	\$	\$	\$	\$
Scraper – 15 yard	\$	\$	\$	\$
Scraper – 23 yard	\$	\$	\$	\$
Dozer – 200 HP	\$	\$	\$	\$
Dozer – 145 HP	\$	\$	\$	\$
Water Truck – 2000 gallon	\$	\$	\$	\$
Water Truck – 4000 gallon	\$	\$	\$	\$
Compaction – 84" Smooth Drum Roller	\$	\$	\$	\$
Compaction – 84" Pad Foot Roller	\$	\$	\$	\$
Combination Compaction w/o cab & air – 84" roller	\$	\$	\$	\$
Combination Compaction with cab & air – 84" roller	\$	\$	\$	\$
Dump Truck – 16 yard	\$	\$	\$	\$
Asphalt Reclaimer – 360 HP or More	\$	\$	\$	\$
Asphalt Reclaimer – 482 HP or More	\$	\$	\$	\$
Asphalt Reclaimer – 540 HP or More	\$	\$	\$	\$
Trackhoe with Thumb - 110 HP	\$	\$	\$	\$
Trackhoe with Thumb - 150 HP	\$	\$	\$	\$
Trackhoe with Thumb - 177 HP	\$	\$	\$	\$
Trackhoe with Thumb - 188 HP	\$	\$	\$	\$
Trackhoe with Thumb - Longreach 140 HP or Greater	\$	\$	\$	\$
Trackhoe with Thumb - Longreach 140 HP or Less	\$	\$	\$	\$

BID SPECIFICATIONS FOR VARIOUS HERBICIDES AND PESTICIDES, OR THEIR EQUIVALENTS

CONTRACT PERIOD: January 1, 2019 thru June 30, 2019

Quantities shown are approximate and are not to be construed as actual amount to be delivered.

All herbicides must be registered with the State Department of Agriculture.

ТҮРЕ	UNIT	PRICE
Roundup Pro Herbicide, or equivalent. Active Ingredient: Isoproplyamine Salt of	2.5 Gal	\$
Glyphosate 41.0%. Inert Ingredient: 59.0% w/ 14.5% surfactant.	30 Gal	\$
4 Pounds Active Ingredient Per Gallon.	Other	\$
Oust Weed Killer, or Equivalent. Active Ingredient: Methyl 2-[(4,6-dimethyl-2	3 Pound	\$
pryimidinyl) amino] cabonyl] amino] sufonyl] benzoate 75%. Inert Ingredient: 25.0%.	Other	\$
AATREX- 4L, or Equivalent. Active Ingredient: Atrazine 2- Chloro - 4 -	Per Gallon	\$
(Ethylamino) - 6 - Isopropylamino - S - Triazine 40.8%. Related Compounds: 2.2%. Inert Ingredient: 57.0%.	Other	\$
4 Pounds Active Ingredient Per Gallon. An Agricultural Approved, Non-Ionic	1 Quart	\$
Surfactant. At Least 80.0% Active Ingredient.	1 Gallon Other	\$ \$ \$
2 4 d, with Amine, or Equivalent.	Per Gallon	\$
	Other	\$
Karmex DF, or Equivalent. Active Ingredient: Diuron [3 - (3,4-Dichlorophenyl)-1, 1-deimethylureal] 80.0%. Inert Ingredient: 20.0%. (Herbicide)	4 Pound 50 Pound Other	\$ \$ \$
Gopher Poison (Poison Grain).	1 Pound 50 Pound Other	\$ \$ \$
Banvel, Or Equivalent. Active Ingredients: Dimethylamine Salt of Dicamba 3, 6-Dichloro-O-Amisic Acid 48.2%;	2.5 Gallon 30 Gallon	\$ \$
Dimethylamine Salts of Related Acids 12.0%. Inert Ingredient: 39.8%. (Herbicide)	Other	\$
Pathway, Or Equivalent. Active Ingredients: Picloram: 4-Amino-3, 5, 6-	2.5 Gallon	\$
Trichloropicolinic Acid, as the Trisopropanolamine Salt 5.4%; 2, 4 - Dichlorophenoxyacetic Acid, as the Trisopropanolamine Salt 20.9%. Inert Ingredients: 73.7%. Acid Equivalents: Picloram 3.0%. 2,4 - Dichlorophenoxyacetic Acid 11.2%.	Other	\$

		I	
	Garlon 4, Or Equivalent. Active Ingredients: Triclopyr (3, 5, 6-Trichloro-2- Pyridinyloxyacetic Acid) Butoxyethyl 61.6%. Acid Equivalent: Triclopyr – 44.3% - 4 Pound Per Gallon. Inert Ingredients: 38.4%. (Herbicide)	2.5 Gallon Other	\$ \$
	Sahara (Water Dispersible Granules), Or	1 Pound	\$
	Equivalent. Active Ingredients: Imazapyr 7.78%; Diuron 62.2%.	10 Pound	\$
	Inert Ingredients: 30.0%. (Herbicide)	Other	\$
	Nobel, or Equivalent. 100% Methylated Oil.	2.5 Gallon	\$
		Other	\$
	Grazon, or Equivalent. Active Ingredients: Picloram: 4-amino-3,5,6-	2.5 Gallon	\$
	Trichloropicolinic acid, trisopropanolamine salt 10.2%;	Other	\$
	2,4-dichlorophenoxyacetic acid, trisopropanolamine salt 39.6%; Inert Ingredients: 50.2%		
	Baron, or Equivalent.	2.5 Gallon	\$
	Active Ingredient: Nonylphenol polyethylene glycol ether, free fatty acids, dimethylpolysiloxane 93% Inert Ingredients: 7%	Other	\$
	Spi Max, or Equivalent.	2.5 Gallon	\$
	Proprietary Colorant Blend – 100%.	Other	\$
	Outrider or Equivalent. Active Ingredient: 75% Sulfosulfuron	20 Ounce	\$
	(Herbicide)	Other	\$
	Tordon K Active Ingredient: 24.4% Picloram (Herbicide)	2.5 Gallon	\$
	<u> </u>	Other	\$
	MSMA 6 PLUS or Equivalent Active Ingredient: Monosodium Acid	1 Gallon	\$
	Active Ingredient: Monosodium Acid Methanearsonate (Herbicide)		\$
		Other	\$
	Vista XRT or Equivalent	1 Gallon	\$
	Active Ingredients: Fluroxypyr-meptyl, Naphthalene; N-methylpyrrolidone (Herbicide)		\$
			\$
	METCEL or Equivalent.	16 Ounce	\$
		Other	\$

(THE ABOVE TO BE USED BY CUSTER COUNTY, OKLAHOMA.)

HAULING CHIPS, CRUSHER RUN, CRUSHED GRANITE 4" SURGE, LIMESTONE, GYP ROCK, SANDSTONE DOLOMITE – PER TON DELIVERY POINTS & PIT LOCATIONS DESIGNATED BELOW

FOR PERIOD: JANUARY 1, 2019 – JUNE 30, 2019

HAULING WILL BE BY BELLY DUMP OR END DUMP AT COMMISSIONER REQUEST

DELIVERY POINTS			PIT LO	CATIONS				
	COOPERTON Screenings, Chips, Cr Run, 4" Surge	GRANITE Crushed Granite	HYDRO Sandstone Dolomite	SNYDER Screenings, Chips, Cr Run, 4" Surge	BALLY MOUNTAIN Screenings, Chips, Cr Run, 4" Surge	BOSE JUNCTION Gypsum	W'FORD Gypsum	SOUTHARD BUCHER Gypsum
CLINTON								
WEATHERFORD								
DEER CREEK								
AREA								
THOMAS								
ARAPAHO								
CUSTER CITY								
BUTLER								
STAFFORD								
MOOREWOOD								
ALEDO								
ANTHON								
HAMMON								
HOURLY HAUL		(From any	stock pile – Di	rt or Gravel – Ir	Custer County,	Oklahoma for	Districts 1,	
RATE		2 & 3)						

** RIP RAP – PER TON (SIZES: 12", 18", 24", 30") ** FILTER BLANKET – PER TON

DELIVERY POINTS	HAULED FROM V	ARIOUS QUARRIES AND DELIVERE	D PER COMMISSIONER	
	INSTRU	ICTIONS – BID USING NOTED DELI	VERY POINTS	
			SOUTHARD BUTCHER	
	COOPERTON	BALLY MOUNTAIN	BOUSE JUNCTION	GRANITE
CLINTON				
WEATHERFORD				
DEER CREEK AREA				
THOMAS				
ARAPAHO				
CUSTER CITY				
BUTLER				
STAFFORD				
MOOREWOOD				
ALEDO				
ANTHON				
HAMMON				

ALEDO							
ANTHON							
HAMMON							
Bids for hauling m	nust be firm fo	r a period	from JANU	JARY 1, 201	9 through JUN	NE 30, 2019.	

All Freight Rates will be figured based upon the Fuel Price of \$3.262 as found on the U.S. Energy Information Administration website, Midwest area - $\underline{\text{www.eia.gov/petroleum/gasdiesel/}}$, information released 11/12/18 as the base rate.

Fuel surcharge will be computed as of the 1st Tuesday of each month. For every \$.10 per gallon rise, the rate will be increased by 2%.

AFFIDAVIT FOR FILING WITH COMPETITIVE BID

STATE OF OKLAHOMA)) SS		
COUNTY OF)		
	, of law	ful age, being first duly	sworn,
on oath says, that (s)he is the ag	gent authorized by	the bidder to submit the	attached bid.
Affiant further states that the bidders in restraint of freedom refrain from bidding; or with ar price in the prospective contract discussions between bidders an other thing of value for special	of competition by a ny county official o et, or any other tern ad any county offici	agreement to bid at a fixed or employee as to quantite as of said prospective contains all concerning exchange	ed price or to y, quality or ntract; or in any
VENDOR:			
SIGNATURE:			
TITLE:			
ADDRESS:			
CITY/STATE/ZIP			
PHONE			
FAX			
EMAIL			
Subscribed and sworn to b	pefore me this	, 20	<u> </u>
	Notary Publ	ic (Clerk or Judge)	
My Commission Expires:			
(SEAL)			

Note: Each competitive bid submitted to a county, school district or municipality must be accompanied with the above Affidavit as required by 61 Okla.St.Ann.§138.

Bids which are submitted without this Affidavit will be considered invalid and rejected.

AFFIDAVIT FOR CONTRACTS AND PAYMENTS

STATE OF OKLAHOMA)
) ss
COUNTY OF)

THE UNDERSIGNED (ARCHITECT, CONTRACTOR, SUPPLIER OR ENGINEER), OF LAWFUL AGE, BEING FIRST DULY SWORN, ON OATH SAYS THAT THIS INVOICE OR CLAIM IS TRUE AND CORRECT. AFFIANT FURTHER STATES THAT THE (WORK, SERVICES OR MATERIALS) AS SHOWN BY THIS INVOICE OR CLAIM HAVE BEEN (COMPLETED OR SUPPLIED) IN ACCORDANCE WITH THE PLANS, SPECIFICATIONS, ORDERS OR REQUESTS FURNISHED THE AFFIANT. AFFIANT FURTHER STATES THAT (S)HE HAS MADE NO PAYMENT DIRECTLY OR INDIRECTLY TO ANY ELECTED OFFICIAL, OFFICER OR EMPLOYEE OF THE STATE OF OKLAHOMA, ANY COUNTY OR LOCAL SUBDIVISION OF THE STATE, OF MONEY OR ANY OTHER THING OF VALUE TO OBTAIN PAYMENT OF THE INVOICE OR PROCURE THE CONTRACT OR PURCHASE ORDER PURSUANT TO WHICH AN INVOICE IS REQUIRED.

	_
BUSINESS NAME	
Ву	-
SUBSCRIBED AND SWORN TO BEFORE ME THIS DAY OF	. 20
	
NOTARY PUBLIC (OR CLERK OR JUDGE)	

NOTE: 62 OKL.ST.ANN. § 310.9 (B), AUTHORIZES COUNTIES EXECUTING MORE THAN ONE CONTRACT, EXCEEDING \$ 25,000.00 DURING THE FISCAL YEAR, WITH AN ARCHITECT, CONTRACTOR, ENGINEER OR SUPPLIER OF CONSTRUCTION MATERIALS TO ACCEPT ONE AFFIDAVIT APPLYING TO ALL WORK, SERVICES OR MATERIALS COMPLETED OR SUPPLIED UNDER THE TERMS OF AWARDED CONTRACTS, OR WHICH ARE NEEDED ON A CONTINUAL BASIS; SUCH AFFIDAVIT TO BE IN LIEU OF ALL INDIVIDUAL AFFIDAVITS FOR EACH INVOICE SUBMITTED IN RELATION TO SUCH CONTRACT.

Request for Taxpayer **Identification Number and Certification**

► Go to www.irs.gov/FormW9 for instructions and the latest information.

Give Form to the requester. Do not send to the IRS.

	1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.	· ·
	Business name/disregarded entity name, if different from above	
page3	3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only one of following seven boxes.	of the 4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):
8	☐ Individual/sole proprietor or ☐ C Corporation ☐ S Corporation ☐ Partnership ☐ Trust/essingle-member LLC	Exempt payee code (if any)
₽ĕ	Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶	<u> </u>
Print or type. dific instructions	Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not on LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC.	.C is costs (F area)
돌들	another LLC that is not disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LL is disregarded from the owner should check the appropriate box for the tax classification of its owner.	.C that
1	☐ Other (see instructions) ►	Applies to accounts maintained outside the U.S.)
S.	5 Address (number, street, and apt. or suite no.) See instructions. Requester's	name and address (optional)
8	6 City, state, and ZIP code	
	o ony, same, and 21 cook	
	7 List account number(s) here (optional)	
Par	Taxpayer Identification Number (TIN)	
	your first the appropriate box. The first provided industriate faile given on the first to avoid	sal security number
reside	p withholding. For individuals, this is generally your social security number (SSN). However, for a nt alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other s. It is your employer identification number (EIN). If you do not have a number, see How to get a	
TIN, la	or or	
	in the above and is in more than one manne, see the more about it in the 1.7 may see Trinat Marie and	ployer identification number
NUMD	er To Give the Requester for guidelines on whose number to enter.	
Dar	Cortification	

Under penalties of perjury, I certify that:

- 1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
 2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
- 3. I am a U.S. citizen or other U.S. person (defined below); and
- 4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have falled to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here Signature of U.S. person)

General Instructions

Section references are to the Internal Revenue Code unless otherwise

velopments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to www.irs.gov/FormW9.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other taxpayer reportable on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

. Form 1099-INT (Interest earned or paid)

- . Form 1099-DIV (dividends, including those from stocks or mutual
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- . Form 1099-S (proceeds from real estate transactions)
- . Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest),
- . Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident allen), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding,